

# BRENLO

---

## CUSTOM WOOD MOULDINGS & DOORS

---

For over 25 years, Brenlo Custom Wood Mouldings & Doors has been the wood moulding supplier of choice among Luxury Custom Home Builders, Architects, and Designers. We have built a reputation in the industry of being passionate about quality.

This superior quality begins in our grinding room with our hand cut knives made from top quality carbide steel. Our knives are then moved to our state of the art moulders where our operators only use kilned dried FAS lumber at a rate of 22 knife cuts per inch. The combination of expertly cut knives, quality rough lumber and cuts per inch, results in a smooth finish free from chatter marks. After a strict defecting program at the end of the milling process all material is transferred to our distribution facility where quantities are confirmed and additional quality checks are completed. Our end result is a wood moulding that has 99% usage and requires minimal preparation for painting or staining.

With just under 200,000 SQFT of distribution and manufacturing space Brenlo keeps an expansive in-stock inventory of trim, doors and plywood to provide customers with the solution needed to complete a project “Right and On Time.” Should our stock options not meet the needed requirements our in house CAD team can create and design any trim or door style required. Brenlo currently holds over 10,000 custom profiles for customers and ensure that custom orders are kept in our library. Therefore, if product is needed again it is as simple as referencing the job name. Our advancements in manufacturing allow us to turn custom trim requirements around in 2 weeks and custom doors in 4-5 weeks.

At Brenlo, our company philosophy has always been “The easiest to do business with.” This statement resonates with every employee and we look forward to providing you the best quality product supported with exceptional customer service.

A handwritten signature in black ink, appearing to read 'Fraser Adams', with a stylized, flowing script.

Fraser Adams  
President

# INDEX

Dear Customer .....	1
Stock Profile List by Page.....	4

## **MOULDING PROFILES**

Casings .....	12
One-Piece Quick Install Casing .....	18
Non-Stock Casings.....	19
Backbands .....	20
Casing & Backband Combinations .....	25
Baseboards .....	29
Plinth Blocks .....	39
Two-Piece Plinth Blocks .....	41
Window Stools .....	41
Bolections & Aprons .....	43
Window Stool & Apron Combinations .....	45
Crown Moulds .....	46
Cove Moulds .....	51
Cap Moulds .....	51
Door Stops / Base Shoe .....	52
Panel Moulds Inset .....	53
Panel Moulds Raised .....	58
Base Caps .....	59
Bed Moulds & Quarter Rounds.....	60
Astragals, Battens, Fascias, Window Mullions .....	60
Shingle Moulds .....	61
Chair Rail .....	63
Glass Beads, Shelf Edges, & Corner Guards .....	64

## **DOORS, HARDWARE, SHEET GOODS, ETC.**

Tongue & Groove Panelling .....	65
MDF Beadboard .....	66
Stock Panelling.....	67
Specialty Items .....	69
MDF & Finger Joint Profiles .....	72
Ceiling & Beam Combinations .....	73
Doors .....	74
Door Hardware .....	83

Plywood .....	86
Sheet Goods .....	88
Dressed Four Sides (D4S) .....	89
Jambs .....	89
Exterior Trim Board .....	90
Columns .....	91
Novawood .....	92
Brenlo Custom Shop .....	96
Environmental Commitment .....	99
Services .....	100
Ordering Information .....	101



**HEAD OFFICE**

41 Racine Rd. Toronto, Ontario M9W 2Z4  
**T** 416.749.6857 **F** 416.749.8969 **T/F** 877.816.6607

**Showroom Hours:** Monday - Friday 7:30am to 4:30pm

**[www.brenlo.com](http://www.brenlo.com)**



# STOCK PROFILE LISTING BY PAGE

CASING		Page
<b>1</b>	3/4" x 2-3/4"	12
<b>1A</b>	3/4" x 3-1/2"	12
<b>4</b>	7/8" x 3"	12
<b>7</b>	3/4" x 3-1/2"	12
<b>7A</b>	3/4" x 2-3/4"	12
<b>11</b>	3/4" x 3-1/2"	12
<b>19</b>	3/4" x 4-1/4"	12
<b>20</b>	3/4" x 2-3/4"	13
<b>20B</b>	3/4" x 3-1/2"	13
<b>22</b>	3/4" x 3-1/2"	13
<b>23</b>	3/4" x 3-1/16"	13
<b>25A</b>	3/4" x 3-1/2"	13
<b>25S</b>	3/4" x 2-1/2"	13
<b>101</b>	3/4" x 3-1/2"	14
<b>102</b>	3/4" x 3-1/2"	14
<b>103</b>	3/4" x 3-1/2"	14
<b>106</b>	3/4" x 3-1/2"	14
<b>106A</b>	3/4" x 2-3/4"	14
<b>106GR</b>	3/4" x 3-1/2"	14
<b>413</b>	3/4" x 3-1/2"	15
<b>414</b>	1" x 3-1/2"	15
<b>415</b>	3/4" x 3-1/2"	15
<b>420</b>	3/4" x 2-1/2"	15
<b>700</b>	7/8" x 3-1/2"	15
<b>700B</b>	7/8" x 3"	15
<b>800</b>	7/8" x 3-1/2"	16
<b>810</b>	3/4" x 3-1/2"	16
<b>888</b>	3/4" x 2-3/4"	16
<b>2000</b>	11/16" x 3-1/8"	16
<b>2005</b>	5/8" x 2-5/8"	16
<b>2010</b>	1" x 4-1/2"	17
<b>2015</b>	3/4" x 3-1/2"	17
<b>2100</b>	1-5/16" x 4-1/2"	17
<b>2108</b>	1-5/16" x 4-1/2"	17
ONE-PIECE QUICK INSTALL		Page
<b>106S</b>	1-1/16" x 4	18
<b>400S</b>	1-1/16" x 4-1/32"	18
<b>500</b>	1-1/8" x 3"	18
<b>600</b>	1-1/8" x 3"	18
BASEBOARD		Page
<b>25B</b>	3/4" x 5-1/2"	29
<b>25C</b>	3/4" x 7-1/4"	29
<b>42</b>	3/4" x 4-1/2"	29
<b>42A</b>	3/4" x 6-1/2"	29
<b>42B</b>	3/4" x 5-1/2"	29
<b>42C</b>	3/4" x 7-1/4"	29

## STOCK PROFILE LISTING BY PAGE

<b>53</b>	3/4" x 5-1/2"	29
<b>302C</b>	3/4" x 7-1/4"	30
<b>306</b>	3/4" x 7-1/4"	30
<b>307</b>	3/4" x 5-1/2"	33
<b>307C</b>	3/4" x 7-1/4"	30
<b>307E</b>	3/4" x 9-1/4"	30
<b>307GR</b>	3/4" x 7-1/4"	31
<b>308</b>	3/4" x 8-1/2"	31
<b>309</b>	3/4" x 8-1/2"	31
<b>310</b>	13/16" x 8-1/2"	32
<b>311</b>	3/4" x 7-1/4"	32
<b>313</b>	3/4" x 7-1/4"	32
<b>314</b>	3/4" x 5-1/2"	33
<b>315</b>	3/4" x 7-1/4"	33
<b>320</b>	3/4" x 4-1/2"	33
<b>349</b>	3/4" x 5-1/2"	34
<b>349A</b>	3/4" x 4-7/8"	34
<b>349B</b>	3/4" x 7-1/4"	34
<b>352</b>	3/4" x 6-1/2"	35
<b>352B</b>	3/4" x 7-1/4"	35
<b>353B</b>	3/4" x 7-1/4"	34
<b>354</b>	3/4" x 7-1/4"	34
<b>358</b>	3/4" x 5-1/2"	35
<b>820</b>	3/4" x 7-1/4"	35
<b>900</b>	7/8" x 5-1/2"	36
<b>900C</b>	7/8" x 7-1/4"	36
<b>900D</b>	7/8" x 8-1/2"	36
<b>910</b>	13/16" x 9-1/4"	36
<b>2051C</b>	7/8" x 7-1/4"	37
<b>2051D</b>	7/8" x 8-1/2"	37
<b>2053D</b>	1" x 8-1/2"	37
<b>2140</b>	3/4" x 8-1/2"	36
<b>2148</b>	13/16" x 9-1/4"	37

<b>BACKBAND</b>		<b>Page</b>
<b>30</b>	1-5/8" x 1-5/8"	20
<b>32A</b>	1-1/4" x 2-1/32"	20
<b>33</b>	1-3/4" x 1-7/8"	20
<b>33A</b>	1-5/8" x 1-11/16"	20
<b>34</b>	3/4" x 1-3/8"	21
<b>34ext</b>	3/4" x 1-1/2"	21
<b>35</b>	7/8" x 1-5/8"	21
<b>35ext</b>	7/8" x 1-3/4"	21
<b>36</b>	1-3/32" x 1-5/8"	21
<b>37</b>	3/4" x 1-5/16"	21
<b>38</b>	13/16" x 1-3/8"	22
<b>39</b>	7/8" x 1-1/2"	22
<b>40</b>	13/16" x 1-1/4"	22
<b>701</b>	1-1/8" x 1-1/2"	22

## STOCK PROFILE LISTING BY PAGE

<b>703</b>	1-3/4" x 1-1/2"	23
<b>704</b>	7/8" x 1-5/16"	23
<b>713</b>	13/16" x 1-1/4"	23
<b>2001</b>	1-13/16" x 2-3/4"	23
<b>2006</b>	1-5/16" x 2-1/4"	24
<b>2011</b>	1-5/16" x 2-1/8"	24
<b>2016</b>	1-3/4" x 1-1/2"	24

PLINTH BLOCK		Page
<b>337</b>	3/8" x 20" x 4-1/2"	71
<b>337</b>	1-3/8" x 20" x 3-3/4"	71
<b>338</b>	1-3/4" x 4-3/8"	39
<b>735</b>	1-15/16" x 4-7/16"	39
<b>736</b>	1-9/16" x 4-13/32"	39
<b>2002</b>	2-1/4" x 5-1/2"	39
<b>2007</b>	11/16" x 4-5/8"	39
<b>2012</b>	2" x 5-5/8" 2pc	41
<b>2013</b>	1-9/16" x 4-3/8"	40
<b>2017</b>	2" x 4-7/8" 2pc	41
<b>2030</b>	1-3/4" x 4-3/8"	40
<b>2030B</b>	1-3/4" x 5-1/8"	40
<b>2130</b>	1-1/2" x 4-7/8"	40

CORNER BLOCK		Page
<b>65</b>	7/8" x 3" x 3"	70
<b>66</b>	1" x 4-1/2" x 4-1/2"	70
<b>66A</b>	1" x 3-3/4" x 3-3/4"	70
<b>67</b>	1-3/8" x 4-1/2" x 4-1/2"	70
<b>68</b>	1-5/16" x 3" x 3"	70

CROWN		Page
<b>70</b>	3/4" x 5-1/4"	46
<b>70B</b>	3/4" x 7"	46
<b>70C</b>	7/8" x 8-1/2"	46
<b>71</b>	3/4" x 4-1/4"	46
<b>72</b>	3/4" x 3-1/2"	46
<b>72B</b>	3/4" x 4-1/4"	46
<b>72C</b>	3/4" x 5-1/4"	46
<b>73</b>	3/4" x 6-1/4"	47
<b>94</b>	3/4" x 3-1/2"	51
<b>94B</b>	1" x 4-15/16"	51
<b>507</b>	7/8" x 5-1/2"	47
<b>509</b>	7/8" x 3-11/16"	47
<b>523</b>	3/4" x 2-3/8"	48
<b>535</b>	3/4" x 3-1/2"	48
<b>552</b>	13/16" x 5-3/16"	48
<b>573</b>	1-1/4" x 5-1/2"	49
<b>577</b>	1-5/6" x 6-7/8"	49
<b>578</b>	1" x 4-3/4"	49

## STOCK PROFILE LISTING BY PAGE

<b>2150</b>	7/8" x 6-1/2"	50
<b>2156</b>	7/8" x 6-1/2"	50

### BOLECTION Page

<b>82</b>	1 3/4" x 4"	43
<b>83</b>	1-5/8" x 5-1/2"	43
<b>663</b>	1-5/8" x 5-1/2"	44

### APRON Page

<b>81</b>	1-5/16" x 3-1/4"	43
<b>85</b>	1-5/16" x 3-1/4"	43
<b>88</b>	1-1/4" x 3-1/4"	43
<b>89</b>	1-5/16" x 3-1/4"	43

### ARCHITRAVE Page

<b>331</b>	1-1/4" x 2-11/16"	70
<b>332</b>	1-3/4" x 2-3/4"	69
<b>L1</b>	1-3/4" x 4-3/4"	69

### COVE Page

<b>90</b>	1/2" x 1/2"	51
<b>91</b>	3/4" x 3/4"	51
<b>92</b>	1" x 1"	51
<b>93</b>	1-1/4" x 1-1/4"	51
<b>94</b>	3/4" x 3-1/2"	51
<b>94B</b>	1" x 4-15/16"	51
<b>95</b>	5/8" x 5/8"	51

### CAP MOULDS Page

<b>97</b>	9/16" x 1-1/8"	51
<b>98</b>	13/16" x 1-3/4"	51

### DOOR STOPS Page

<b>108</b>	7/16" x 1-5/8"	52
<b>109</b>	7/16" x 1-1/2"	52
<b>110</b>	3/8" x 1-3/8"	52
<b>111</b>	7/16" x 1-3/4"	52
<b>112</b>	3/8" x 1-1/2"	52
<b>112A</b>	3/8" x 1-3/4"	52
<b>113</b>	7/16" x 1-3/4"	52
<b>114</b>	3/8" x 1-1/2"	52
<b>116</b>	7/16" x 1-3/4"	52
<b>117</b>	1/2" x 2-1/2"	53

### PANEL MOULDS & BASE CAPS Page

<b>118</b>	7/16" x 3/4"	53
<b>119</b>	1/2" x 1-1/16"	53
<b>121</b>	11/16" x 1-3/8"	59
<b>122</b>	5/8" x 1-9/16"	54
<b>122A</b>	7/16" x 1-1/8"	54
<b>122B</b>	3/4" x 2-3/16"	54

## STOCK PROFILE LISTING BY PAGE

<b>123</b>	9/16" x 1-3/4"	59
<b>124</b>	3/4" x 2-1/4"	54
<b>125</b>	1-1/16" x 1-1/2"	59
<b>126</b>	1/2" x 1-5/8"	54
<b>129</b>	3/8" x 1"	55
<b>130</b>	1" x 1-1/4"	58
<b>130S</b>	7/8" x 1"	58
<b>131</b>	5/8" x 1"	58
<b>132</b>	1-1/4" x 1-5/8"	58
<b>133</b>	13/16" x 1-3/8"	58
<b>134</b>	3/8" x 11/16"	55
<b>327</b>	1/2" x 1-3/4"	55
<b>328</b>	7/16" x 1-5/16"	55
<b>329</b>	3/8" x 1-1/8"	70
<b>330</b>	5/8" x 2"	70
<b>333</b>	1/2" x 1-1/4"	57
<b>334</b>	7/16" x 1-1/4"	57
<b>335</b>	7/16" x 11/16"	57
<b>336</b>	7/16" x 11/16"	57
<b>607</b>	7/16" x 7/8"	55
<b>608</b>	7/16" x 11/16"	55
<b>609</b>	7/16" x 1-1/4"	56
<b>620</b>	1/2" x 1-1/4"	56
<b>632</b>	3/4" x 1-1/2"	58

### PANEL MOULDS & BASE CAPS Page

<b>645</b>	11/16" x 2-1/2"	56
<b>648</b>	3/4" x 2-1/4"	56
<b>649</b>	3/4" x 1-3/4"	56
<b>651</b>	7/8" x 3"	58
<b>652</b>	7/8" x 3"	58
<b>666</b>	1/2" x 7/8"	56
<b>670</b>	13/16" x 1-1/2"	59
<b>671</b>	1-1/8" x 2"	59

### BED MOULD Page

<b>135</b>	5/8" x 2-3/4"	60
<b>136</b>	5/8" x 2-1/4"	60
<b>138</b>	5/8" x 1-5/8"	60

### QUATER ROUND Page

<b>141</b>	1" x 1"	60
<b>142</b>	3/4" x 3/4"	60
<b>143</b>	5/8" x 5/8"	60
<b>144</b>	1/2" x 1/2"	60

### TONGUE & GROOVE Page

<b>145</b>	3/8" x 3-1/8"	65
<b>145B</b>	1/2" x 5-1/2"	65
<b>145S</b>	3/8" x 3-1/8"	65

## STOCK PROFILE LISTING BY PAGE

<b>146</b>	3/4" x 3-1/2"	65
<b>146A</b>	3/4" x 4-3/4"	65
<b>146B</b>	3/4" x 5-1/2"	65
<b>NOSING</b>		<b>Page</b>
<b>149</b>	1" x 3-1/2"	69
<b>BATTEN</b>		<b>Page</b>
<b>150</b>	9/16" x 2-1/4"	60
<b>151</b>	3/4" x 1-5/8"	60
<b>SHINGLE MOULD</b>		<b>Page</b>
<b>152</b>	1-7/32" x 1-11/16"	61
<b>153</b>	1-5/16" x 2-3/8"	61
<b>154</b>	1-1/4" x 1-3/4"	61
<b>157</b>	3/4" x 1-1/4"	62
<b>158</b>	3/4" x 1-3/4"	62
<b>MULLION</b>		<b>Page</b>
<b>162</b>	3/8" x 1-5/8"	61
<b>164-1-1/8</b>	3/8" x 1-1/8"	61
<b>164-1-3/8</b>	3/8" x 1-3/8"	61
<b>165</b>	1/2" x 1-1/2"	61
<b>166</b>	3/8" x 1-1/4"	61
<b>PILASTER</b>		<b>Page</b>
<b>171</b>	3/4" x 6"	71
<b>BAR RAIL</b>		<b>Page</b>
<b>179</b>	1-3/4" x 5-1/4"	69
<b>CHAIR RAIL</b>		<b>Page</b>
<b>181</b>	1" x 3-5/8"	62
<b>186</b>	3/4" x 3"	62
<b>187</b>	5/8" x 2-1/2"	62
<b>189</b>	1" x 2-1/2"	62
<b>189A</b>	1-5/16" x 2-1/2"	63
<b>2180</b>	7/8" x 3-1/8"	63
<b>2188</b>	13/16" x 3-1/8"	63
<b>GLASS BEAD</b>		<b>Page</b>
<b>190</b>	1/2" x 9/16"	64
<b>191</b>	3/8" x 3/8"	64
<b>SHELF EDGE</b>		<b>Page</b>
<b>195</b>	3/8" x 3/4"	64
<b>197</b>	1/4" x 3/4"	64
<b>CORNER GUARD</b>		<b>Page</b>
<b>200</b>	1-5/16" x 1-5/16"	64
<b>201</b>	1-1/8" x 1-1/8"	64
<b>MCE204</b>	3/4" x 3/4"	64

# STOCK PROFILE LISTING BY PAGE

HALF ROUND		Page
<b>205</b>	3/4" x 1-1/2"	70
<b>205A</b>	1" x 2"	70
<b>205B</b>	1-1/4" x 2-1/2"	70
<b>205C</b>	1-1/2" x 3"	70
<b>205D</b>	1-3/4" x 3-1/2"	70
<b>206</b>	1/2" x 1"	70
<b>207</b>	3/8" x 3/4"	70
BASE SHOE		Page
<b>208</b>	1/2" x 3/4"	53
<b>209</b>	1/2" x 7/8"	53
<b>210</b>	1/2" x 3/4"	53
<b>216</b>	1/2" x 1-5/8"	53
ASTRAGAL		Page
<b>211</b>	3/4" x 1-3/4"	61
<b>212</b>	3/4" x 1-3/8"	61
<b>213</b>	7/16" x 3/4"	61
<b>215</b>	1-1/4" x 2-7/16"	61
STOOL		Page
<b>226</b>	1-5/16" x 2-3/4"	41
<b>227</b>	1-5/16" x 2-3/4"	41
<b>228</b>	1-1/16" x 2-1/4"	42
<b>229</b>	1-1/16" x 3-1/4"	42
<b>230</b>	1-1/16" x 4-1/4"	42
<b>231</b>	1-1/16" x 5-1/4"	42
<b>232</b>	1-1/16" x 7-3/4"	42
<b>233</b>	1-5/8" x 2-3/4"	42
<b>234</b>	1-5/16" x 2-3/4"	42
<b>MK</b>	1-3/4" x 3-1/2"	42
PICTURE		Page
<b>225</b>	11/16" x 1-3/4"	69
HANDRAIL		Page
<b>903</b>	1-5/8" x 2-3/4"	71
<b>904</b>	1-5/8" x 2-3/4"	71
<b>930</b>	1/4" x 1-5/16"	71
D4S		Page
<b>D412X2</b>	1/2" x 1-1/2"	90
<b>D412X4</b>	1/2" x 3-1/2"	90
<b>D412X6</b>	1/2" x 5-1/2"	90
<b>D4x1</b>	3/4" x 3/4"	90
<b>D41x2</b>	3/4" x 1-1/2"	90
<b>D41x3</b>	3/4" x 2-1/2"	90
<b>D41x4</b>	3/4" x 3-1/2"	90

## STOCK PROFILE LISTING BY PAGE


<b>D41x5</b>	3/4" x 4-1/2"	90
<b>D41x6</b>	3/4" x 5-1/2"	90
<b>D41x8</b>	3/4" x 7-1/4"	90
<b>D41x10</b>	3/4" x 9-1/4"	90
<b>D41x12</b>	3/4" x 11-1/4"	90
<b>D4125x4</b>	1-1/4" x 3-1/2"	90
<b>D4125x6</b>	1-1/4" x 5-1/2"	90
<b>D42x2</b>	1-1/2" x 1-1/2"	90
<b>D42x4</b>	1-1/2" x 3-1/2"	90
<b>D42x6</b>	1-1/2" x 5-1/2"	90
<b>D42x8</b>	1-1/2" x 7-1/4"	90
<b>D42x10</b>	1-1/2" x 9-1/4"	90
<b>D42x12</b>	1-1/2" x 11-1/4"	90

<b>JAMBS</b>		<b>Page</b>
<b>4.625</b>	3/4" x 4-5/8"	90
<b>4.875</b>	3/4" x 4-7/8"	90
<b>6.625</b>	3/4" x 6-5/8"	90
<b>6.875</b>	3/4" x 6-7/8"	90
<b>5.5Rab</b>	1-1/2" x 5-1/2" rabbeted for 1-3/4" door	90

<b>MDF PROFILES</b>		<b>Page</b>
<b>2700FJP</b>	1" x 3" Stocked In Finger-Joint Pine	72
<b>MDF8031</b>	3/4" x 3-1/2" Casing	72
<b>MDF8954</b>	3/4" x 3-1/2" Casing	72
<b>MDF8095</b>	1/2" x 5-1/4" Baseboard	72
<b>MDF8235</b>	5/8" x 7-1/8" Baseboard	72
<b>MDF8915</b>	1/2" x 7-1/4" Baseboard	72



# CASINGS



**1A** - 3/4" (20mm) x 3-1/2" (89mm)


Corresponding Baseboard #42B or #42C

SPECIES: W/W OAK CHERRY WALNUT

**1** - 3/4" (20mm) x 2-3/4" (70mm)

Corresponding Baseboard #42 or #42B


SPECIES: W/W OAK MAPLE PINE



**4** - 7/8" (22mm) x 3" (76mm)

Corresponding Baseboard #349 or #53

SPECIES: W/W



**7** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #349 or #349B

SPECIES: W/W

**7A** - 3/4" (20 mm) x 2-3/4" (70mm)

Corresponding Baseboard #349 or #349A


SPECIES: W/W



**11** - 3/4" (20mm) x 3 1/2" (89mm)

Corresponding Baseboard #311

SPECIES: W/W




**19** - 3/4" (20 mm) x 4-1/4" (120mm)

Corresponding Baseboard #353B

SPECIES: W/W

# CASINGS



**20** - 3/4" (20 mm) x 2-3/4" (70mm)

Corresponding Baseboard #354

SPECIES: W/W PINE

**20B** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #354


SPECIES: W/W



**22** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #53 or 1 x 8


SPECIES: W/W



**23** - 3/4" (20 mm) x 3-1/16" (78mm)

Corresponding Baseboard #358


SPECIES: W/W



**25A** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #25C

SPECIES: W/W OAK PINE MAPLE WALNUT




**25S** - 3/4" (20 mm) x 2-1/2" (64mm)


Corresponding Baseboard #25B

SPECIES: W/W

# CASINGS




**101** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #306, #307, #307C  
SPECIES: W/W



**102** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #302C  
SPECIES: W/W




**103** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #306 or D4S 1 x 8  
SPECIES: W/W




**106** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #306, #307 or #307c  
SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT

**106A** - 3/4" (20 mm) x 2-3/4" (70mm)  
Corresponding Baseboard #307  
SPECIES: W/W




**106GR** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #307GR  
SPECIES: W/W

# CASINGS



**413** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard: #713  
SPECIES: W/W




**414** - 1" (25 mm) x 3-1/2" (89mm)  
Corresponding Baseboard: #314  
SPECIES: W/W

NEW PROFILE




**415** - 3/4" (20 mm) x 3-1/2" (89mm)  
Corresponding Baseboard: #315  
SPECIES: W/W

NEW PROFILE



**420** - 3/4" (20 mm) x 2-1/2" (64mm)  
Corresponding Baseboard: #320  
SPECIES: W/W


NEW PROFILE



**700** - 7/8" (22 mm) x 3-1/2" (89mm)  
Corresponding Baseboard #900, #900C, #900D  
SPECIES: W/W CHERRY MAHOGANY WALNUT EZ BEND

**700B** - 7/8" (22 mm) x 3" (76mm)  
SPECIES: W/W


# CASINGS



**800** - 7/8" (22 mm) x 3-1/2" (89mm)

Corresponding Baseboard #352B


SPECIES: W/W OAK



**810** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #820


SPECIES: W/W



**888** - 3/4" x 2-3/4" (70mm)

Corresponding Baseboard #42B or #349


SPECIES: W/W



**2000** - 11/16" (18 mm) x 3-1/8" (79mm)

Corresponding Backband #2001

SPECIES: W/W




**2005** - 5/8" (16 mm) x 2-5/8" (67mm)

Corresponding Backband #2006


SPECIES: W/W

# CASINGS




**2100** - 1" (25 mm) x 4-1/2" (114mm)

SPECIES: W/W




**2105** - 3/4" (19 mm) x 3-1/2" (89mm)

SPECIES: W/W



**2100** - 1-5/16" (33mm) x 4-1/2" (114mm)


SPECIES: W/W



**2108** - 1-5/16" (33mm) x 4-1/2" (114mm)


SPECIES: W/W

# ONE-PIECE QUICK INSTALL




**106S** - 1-1/16" (27mm) x 4" (103mm)

SPECIES: W/W



**400S** - 1-1/16" (27 mm) x 4-1/32" (103mm)


SPECIES: W/W



**500** - 1-1/8" (29 mm) x 3" (76mm)

Corresponding Baseboard #42B

SPECIES: W/W




**600** - 1-1/8" (29 mm) x 3" (76mm)

Corresponding Baseboard #25B


SPECIES: W/W

# CASINGS




**2** - 3/4" (20 mm) x 2-3/4" (70mm)

**NON-STOCK**




**5** - 7/8" (20 mm) x 4" (102mm)

**NON-STOCK**




**6** - 3/4" (20 mm) x 3-1/2" (89mm)

**NON-STOCK**



**8** - 1-1/16" (27 mm) x 4" (102mm)

**NON-STOCK**




**9** - 1- 1/16" (27 mm) x 4" (102mm)

**NON-STOCK**



**21** - 3/4" (20 mm) x 4-1/4" (108mm)

**NON-STOCK**




**107** - 3/4" (20 mm) x 3-1/2" (89mm)


**NON-STOCK**




# BACKBANDS




**30** - 1-5/8" (41mm) x 1-5/8" (41mm)  
Corresponding Casing #20  
SPECIES:W/W WALNUT



**32A** - 1-1/4" (32mm) x 2-1/32" (52mm)  
Corresponding Casing #1A  
SPECIES:W/W




**33** - 1-3/4" (44mm) x 1 7/8" (47mm) 3/4" (20mm) Rabbet  
Corresponding Casing #102  
SPECIES:W/W




**33A** - 1-5/8" (41mm) x 1-11/16" (47mm) 3/4" (20mm) Rabbet  
Corresponding Casing #102  
SPECIES:W/W

# BACKBANDS




**34** - 13/16" (21mm) x 1-3/8" (35mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY WALNUT

**34Ext.** - 13/16" (21mm) x 1-1/2" (38mm) 7/8" (22mm) Rabbet  
SPECIES: W/W




**35** - 7/8" (22mm) x 1-5/8" (41mm)  
SPECIES: W/W

**35Ext.** - 7/8" (22mm) x 1-3/4" (44mm) 7/8" (22mm) Rabbet  
SPECIES: W/W OAK PINE CHERRY WALNUT  
EZ BEND




**36** - 1-3/32" (28mm) x 1-5/8" (41mm)  
Corresponding Casing #7  
SPECIES: W/W



**37** - 3/4" (19mm) x 1-5/16" (33mm)  
Corresponding Casing #106, #107  
SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT


# BACKBANDS



**38** - 13/16" (21mm) x 1-3/8" (35mm)

Corresponding Casing #101


SPECIES: W/W



**39** - 7/8" (22mm) x 1-1/2" (38mm)

Corresponding Casing #25A

SPECIES: W/W




**NEW PROFILE**

**40** - 13/16" (21mm) x 1-1/4" (33mm)

Corresponding Casing #415

SPECIES: W/W




**701** - 1-1/8" (29mm) x 1-1/2" (38mm)


Corresponding Casing #700

SPECIES: W/W


# BACKBANDS




**703** - 1-3/4" (44mm) x 1 1/2" (38mm) 3/4" (20mm) Rabbet  
Corresponding Casing #106, #107  
SPECIES: W/W



**704** - 7/8" (22mm) x 1-5/16" (33mm)  
Corresponding Casing #106, #101  
SPECIES: W/W




**713** - 13/16" (21mm) x 1-1/4" (33mm)  
3/4" (20mm) Rabbet  
Corresponding Casing #413  
SPECIES: W/W



**2001** - 1-13/16" (46mm) x 2-3/4" (70mm)  
Corresponding Casing #2000  
SPECIES: W/W


# BACKBANDS



**2006** - 1-5/16" (33mm) x 2-1/4" (57mm)

Corresponding Casing #2005


SPECIES: W/W



**2011** - 1-5/16" (33mm) x 2-1/8" (54mm)

Corresponding Casing #2010

SPECIES: W/W




**2016** - 1-3/4" (44mm) x 1-1/2" (38mm)

Corresponding Casing #2015

SPECIES: W/W

# CASINGS / BACKBAND COMBINATIONS




**33A** - - 1-5/8" (41mm) x 1-11/16" (47mm) 3/4" (20mm) Rabbet

**102** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #302C

33A - SPECIES: W/W

102 - SPECIES: W/W




**2016** - 1-3/4" (44mm) x 1-1/2" (38mm)

**2015** - 3/4" (19 mm) x 3-1/2" (89mm)

Corresponding Baseboard #310

2016- SPECIES: W/W

2015 - SPECIES: W/W



**35 - Ext.** - 7/8" (22mm) x 1-3/4" (44mm) (22mm) Rabbet

**700** - 7/8" (22 mm) x 3-1/2" (89mm)

Corresponding Baseboard #900, #900C, #900D


**700B** - 7/8" (22 mm) x 3" (76mm)

35-EXT - SPECIES: W/W OAK PINE CHERRY MAHOGANY WALNUT  
EZ BEND

700 - SPECIES: W/W OAK MAPLE CHERRY MAHOGANY WALNUT

700B - SPECIES: W/W

# CASINGS / BACKBAND COMBINATIONS




**37** - 3/4" (19mm) x 1-5/16" (33mm) (20mm Rabbet)

**106** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #306, #307 or #307c

37 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT

106 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT




**704** - 7/8" (22mm) x 1-5/16" (33mm) 3/4" (20mm) Rabbet

**106GR** - 3/4" (20mm) x 3-1/2" (89mm)

Corresponding Baseboard #307GR

704 - SPECIES: W/W

106GR - SPECIES: W/W



**703** - 1-3/4" (44mm) x 1 1/2" (38mm) 3/4" (20mm) Rabbet


**106** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #307C, #307

703 - SPECIES: W/W

106 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT

# CASINGS / BACKBAND COMBINATIONS




**30** - 1-5/8" (41mm) x 1-5/8" (41mm) (20mm Rabbet)

**20** - 3/4" (20mm) x 2-3/4" (70mm)

Corresponding Baseboard #354

30 - SPECIES: W/W WALNUT

20 - SPECIES: W/W PINE




**38** - 13/16" (21mm) x 1-3/8" (35mm)

**101** - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #306, #307, #307C

38 - SPECIES: W/W

101 - SPECIES: W/W



**701** - 1-1/8" (29mm) x 1-1/2" (38mm)

**700** - 7/8" (22 mm) x 3-1/2" (89mm)

Corresponding Baseboard #900, #900C, #900D

**700B** - 7/8" (22 mm) x 3" (76mm)


701 - SPECIES: W/W

700 - SPECIES: W/W OAK MAPLE CHERRY MAHOGANY WALNUT

700B - SPECIES: W/W



# CASINGS / BACKBAND COMBINATIONS




**2001** - 1-13/16" (46mm) x 2-3/4" (70mm)

**2000** - 11/16" (18 mm) x 3-1/8" (79mm)

Corresponding Baseboard #2051D, #2051C

2001 - SPECIES: W/W

2000 - SPECIES: W/W




**2011** - 1-5/16" (33mm) x 2-1/8" (54mm)

**2010** - 1" (25 mm) x 4-1/2" (114mm)

Corresponding Baseboard #2053D

2011 SPECIES: W/W

2010 SPECIES: W/W



**33A** - 1-5/8" (41mm) x 1-11/16" (47mm) 3/4" (20mm) Rabbet


**1A** - 3/4" (20mm) x 3-1/2" (89mm)

Corresponding Baseboard #42B or #42C

33A- SPECIES: W/W

1A - SPECIES: W/W OAK CHERRY WALNUT

# BASEBOARDS




**25C** - 3/4" (19 mm) x 7-1/4" (184mm)

**25B** - 3/4" (19 mm) x 5-1/2" (140mm)

Corresponding Casing #25S or #25A

25C - SPECIES: W/W MAPLE WALNUT

25B - SPECIES: W/W



**42C** - 3/4" (19 mm) x 7-1/4" (184mm)

**42A** - 3/4" (19 mm) x 6-1/2" (165mm)

**42B** - 3/4" (19 mm) x 5-1/2" (140mm)

**42** - 3/4" (19 mm) x 4-1/2" (114mm)


Corresponding Casing #1 or #1A

42C - SPECIES: W/W WALNUT

42A - SPECIES: W/W

42B - SPECIES: W/W OAK PINE MAPLE  
CHERRY

42 - SPECIES: W/W OAK PINE MAPLE




**53** - 3/4" (19 mm) x 5-1/2" (140mm)


Corresponding Casing #4, #22 or #23

SPECIES: W/W


# BASEBOARDS



**302C** - 3/4" (19 mm) x 7-1/4" (184mm)  
Corresponding Casing #102  
SPECIES: W/W




**306** - 3/4" (19 mm) x 7-1/4" (184mm)  
Corresponding Casing #101 &  
Corresponding Backband#38  
SPECIES: W/W PINE



**307C** - 3/4" (19 mm) x 7-1/4" (184mm)  
**307** - 3/4" (19 mm) x 5-1/2" (140mm)  
**307E** - 3/4" (19mm) x 9-1/4" (235mm)  
Corresponding Casing #106 or #106A  
  
307C - SPECIES: W/W OAK MAPLE  
MAHOGANY WALNUT  
307 - SPECIES: W/W MAPLE  
307E - SPECIES: W/W


# BASEBOARDS



**307GR** - 3/4" (20mm) x 7-1/4" (184mm)

Corresponding Casing #106GR

SPECIES: W/W




**308** - 3/4" (19 mm) x 8-1/2" (216mm)

Corresponding Casing #102 and

Corresponding Backband #33

SPECIES: W/W




**309** - 3/4" (19 mm) x 8-1/2" (216mm)

Corresponding Casing #2005


Corresponding Backband #2006

SPECIES: W/W


# BASEBOARDS



**310** - 13/16" (21mm) x 8-1/2" (216mm)  
Corresponding Casing #2015 & Backband #2016  
SPECIES: W/W



**311** - 3/4" (20 mm) x 7-1/4" (184mm)  
Corresponding Casing #11  
SPECIES: W/W




**313** - 3/4" (19mm) x 7-1/4" (184mm)  
Corresponding Casing #413  
SPECIES: W/W

# BASEBOARDS


**314** - 3/4" (19mm) x 5-1/2" (140mm)

Corresponding Casing #414 & Backband #40

SPECIES: W/W



NEW PROFILE




NEW PROFILE

**315** - 3/4" (19 mm) x 7-1/4" (184mm)

Corresponding Casing #415 Backband #40

SPECIES: W/W




NEW PROFILE

**320** - 3/4" (19mm) x 4-1/2" (114mm)

Corresponding Casing #420

SPECIES: W/W

# BASEBOARDS



**349B** - 3/4" (19 mm) x 7-1/4" (184mm)

**349** - 3/4" (19 mm) x 5-1/2" (140mm)


**349A** - 3/4" (19 mm) x 4 -7/8" (124mm)

Corresponding Casing #7A or #7

349A - SPECIES: W/W

349B - SPECIES: W/W EZ BEND WALNUT


349 - SPECIES: W/W



**353B** - 3/4" (19 mm) x 7-1/4" (184mm)

Corresponding Casing #19

SPECIES: W/W




**354** - 3/4" (19 mm) x 7-1/4" (184mm)

Corresponding Casing #20

Corresponding Backband #30

SPECIES: W/W

# BASEBOARDS




**352B** - 3/4" (19 mm) x 7-1/4" (184mm)

**352** - 3/4" (19 mm) x 6-1/2" (165mm)

Corresponding Casing #1A or #800

352 - SPECIES: W/W


352B - SPECIES: W/W OAK EZ BEND



**358** - 3/4" (19 mm) x 5-1/2" (140mm)

Corresponding Casing #23 and Backband #30

SPECIES: W/W



**820** - 3/4" (19mm) x 7-1/4" (184mm)

Corresponding Casing #810

SPECIES: W/W



# BASEBOARDS

**900D** - 7/8" (22 mm) x 8-1/2" (216mm)




**900C** - 7/8" (22 mm) x 7-1/4" (184mm)

**900** - 7/8" (22 mm) x 5-1/2" (140mm)

Corresponding Casing #700 or #700B

900D/900C - SPECIES: W/W EZ BEND

900 - SPECIES: W/W



**910** - 13/16" (21mm) x 9-1/4" (235mm)

Corresponding Casing #700 or #700B


SPECIES: W/W

**2140** - 3/4" (19mm) x 8-1/2" (216mm)

Corresponding Casing #2100

SPECIES: W/W


# BASEBOARDS



**2148** - 13/16" (21mm) x 9-1/4" (235mm)

Corresponding Casing #2108


SPECIES: W/W



**2053D** - 1" (25mm) x 8-1/2" (216mm)

Corresponding Casing #2010 or #2015

SPECIES: W/W



**2051D** - 7/8" (22 mm) x 8-1/2" (216mm)


**2051C** - 7/8" (22 mm) x 7-1/4" (184mm)

Corresponding Casing #2000, #2005

2051D - SPECIES: W/W EZ BEND

2051C - SPECIES: W/W

# BASEBOARDS




**2050** - 1-1/16" (27mm) x 8-3/4" (222mm)

Corresponding Casing #2000

Corresponding Backband #2001

**NON-STOCK**




**2052** - 1-1/4" (32 mm) x 9-1/4" (235mm)

Corresponding Casing #2010

Backband #2011


**NON-STOCK**



**2053C** - 1" (25mm) x 7-1/4" (184mm)

**NON-STOCK**


# PLINTH BLOCKS



**338** - 1-3/4" (44mm) x 4-3/8" (111mm)

Accommodates 3-1/2" Casing & Backband #34


SPECIES: W/W



**735** - 1-15/16" (49mm) x 4-7/16" (113mm)


Accommodates 3-1/2" Casing & Backband #35

SPECIES: W/W



**736** - 1-9/16" (40mm) x 4-13/32" (111mm)


SPECIES: W/W



**2002** - 2-1/4" (57mm) x 5-1/2" (140mm)

Accommodates Casing #2000 & Backband #2001

SPECIES: W/W




**2007** - 1-11/16" (43mm) x 4-5/8" (117mm)

Accommodates Casing #2005 & Backband #2006

SPECIES: W/W

# PLINTH BLOCKS



**2013** - 1-11/16" (43mm) x 4-5/8" (117mm)


Accommodations:

Option 1: Casing #101 & Backband #38

Option 2: Casing #102 & Backband #34

Option 3: Casing #106 & Backband #37


SPECIES: W/W



**2030** - 1-3/4" (44mm) x 4-3/8" (111mm)

Accommodates 2-3/4" Casing & Backband#30


SPECIES: W/W



**2030B** - 1-3/4" (44mm) x 5-1/8" (130mm)

Accommodates 3-1/2" Casing & Backband #30

SPECIES: W/W




**2130** - 1-1/2" (38mm) x 4-7/8" (124mm)

Accommodates Casing #2100

SPECIES: W/W

\*Plinth Block runs in lineal foot lengths and are designed to be cut to length at job site.


# TWO-PIECE PLINTH BLOCKS



**2012** - 2-3/8" (60mm) x 5-5/8" (143mm)

Accommodates Casing #2010 & Backband #2011

SPECIES: W/W




**2017** - 2" (51mm) x 4-7/8" (124mm)

Accommodates Casing #2015 & Backband #2016


SPECIES: W/W

# WINDOW STOOL



**226** - 1-5/16" (33mm) x 2-3/4" (70mm)

SPECIES: W/W



**227** - 1-5/16" (33mm) x 2-3/4" (70mm)

SPECIES: W/W OAK MAPLE CHERRY MAHOGANY WALNUT

# WINDOW STOOL




**232** - 1-1/16" x 7-3/4" SPECIES: W/W

**231** - 1-1/16" x 5-1/4" SPECIES: W/W


**230** - 1-1/16" x 4-1/4" SPECIES: W/W PINE CHERRY

**229** - 1-1/16" x 3-1/4" SPECIES: W/W PINE


**228** - 1-1/16" x 2-1/4" SPECIES: W/W OAK PINE



**233** - 1-5/8" (41mm) x 2-3/4" (70mm)  
SPECIES: W/W




**234** - 1-5/8" (41mm) x 2-3/4" (70mm)  
SPECIES: W/W OAK MAPLE MAHOGANY WALNUT




**MK** - 1-3/4" (44mm) x 3-1/2" (89mm)  
SPECIES: W/W


# BOLECTIONS & APRONS




**81** - 1-5/16" (33mm) x 3-1/4" (83mm)  
SPECIES: W/W




**82** - 1-3/4" (44mm) x 4" (102mm)  
SPECIES: W/W




**83** - 1-5/8" (41mm) x 5-1/2" (140mm)  
SPECIES: W/W



**85** - 1-5/16" (33mm) x 3-1/4" (83mm)  
SPECIES: W/W OAK




**88** - 1-1/4" (32mm) x 3-1/4" (83mm)  
SPECIES: W/W



**89** - 1-5/16" (33mm) x 3-1/4" (83mm)  
SPECIES: W/W




# BOLECTIONS & APRONS




**87** - 1-5/16" (33mm) x 4-7/8" (124mm)

**NON-STOCK**




**663** - 1-5/8" (41mm) x 5-1/2" (140mm)  
SPECIES: W/W



**2080** - 1-5/16" (33mm) x 3-1/4" (83mm)




**NON-STOCK**





**2081** - 1-5/16" (33mm) x 3-1/4" (83mm)

**NON-STOCK**

# WINDOW STOOL & APRON COMBINATIONS




# CROWN MOULDS




**70C** - 7/8" (19mm) x 8-1/2" (216mm)  
(A = 6") (B = 6")  
SPECIES: W/W PINE

**70B** - 3/4" (19mm) x 7" (178mm)  
(A = 4-15/16") (B = 4-15/16")  
SPECIES: W/W OAK PINE

**70** - 3/4" (19mm) x 5-1/4" (133mm)  
(A = 3-9/16") (B = 3-9/16")  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY WALNUT



**71** - 3/4" (44mm) x 4-1/4" (108mm)  
(A = 2-15/16") (B = 2-15/16")  
SPECIES: W/W OAK PINE MAPLE  
CHERRY WALNUT





**72C** - 3/4" (19mm) x 5-1/4" (133mm)  
(A = 3-11/16") (B = 3-11/16")  
SPECIES: W/W OAK PINE MAPLE  
CHERRY


**72B** - 3/4" (19mm) x 4-1/4" (108mm)  
(A = 3") (B = 3")  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY WALNUT

**72** - 3/4" (19mm) x 3-1/2" (89mm)  
(A = 2-1/2") (B = 2-1/2")  
SPECIES: W/W PINE MAPLE CHERRY  
WALNUT

# CROWN MOULDS





**73** - 3/4" (19mm) x 6-1/4"  
(159mm)  
(A = 4-5/8") (B = 4-1/4")  
SPECIES: W/W




**507** - 7/8" (22mm) x 5-1/2"  
(140mm)  
(A = 3-5/16") (B = 4-3/8")  
SPECIES: W/W

**509** - 7/8" (22mm) x 3-11/16"  
(94mm)  
(A = 2-9/16") (B = 2-11/16")  
SPECIES: W/W


# CROWN MOULDS



**523** - 3/4" (19mm) x 2-3/8" (60mm)  
(A = 1-11/16") (B = 1-21/32")  
SPECIES: W/W MAPLE





**535** - 3/4" (19mm) x 3-1/2" (89mm)  
(A = 2-7/16") (B = 2-1/2")  
SPECIES: W/W MAPLE




**552** - 13/16" (21mm) x 5-3/16" (132mm)  
(A = 3-1/2") (B = 3-13/16")  
SPECIES: W/W

# CROWN MOULDS



**A = PROJECTION**  
**B = HEIGHT**



**573** - 1-1/4" (32mm) x 5-1/2" (140mm)  
 (A = 3-7/8") (B = 3-7/8")  
 SPECIES: W/W





**577** - 1-5/16" (33mm) x 6-7/8" (175mm)  
 (A = 3-11/16") (B = 5-3/4")  
 SPECIES: W/W




**578** - 1" (25mm) x 4-3/4" (121mm)  
 (A = 3-1/4") (B = 3-3/8")  
 SPECIES: W/W


# CROWN MOULDS



**2150** - 7/8" (22mm) x 6-1/2" (165mm)  
(A = 4-1/2") (B = 4-3/4")  
SPECIES: W/W




**2156** - 7/8" (22mm) x 6-1/2" (165mm)  
(A = 4-5/8") (B = 4-5/8")  
SPECIES: W/W



**73A** - 3/4" (19mm) x 5-1/4" (133mm)  
(A = 3-7/8") (B = 3-1/2")


NON-STOCK




**2158** - 7/8" (22mm) x 6-1/2" (165mm)  
(A = 4-5/8") (B = 4-5/8")

NON-STOCK


# COVE MOULDS




**90** - 1/2" (13mm) x 1/2" (13mm)  
SPECIES: W/W OAK PINE MAPLE




**91** - 3/4" (19mm) x 3/4" (19mm)  
SPECIES: W/W OAK PINE  
MAPLE CHERRY EZ BEND




**92** - 1" (25mm) x 1" (25mm)  
SPECIES: W/W PINE



**93** - 1-1/4" (32mm) x 1-1/4" (32mm)  
SPECIES: W/W PINE MAPLE




**95** - 5/8" (16mm) x 5/8" (16mm)  
SPECIES: W/W




**94B** - 1" (25mm) x 4-15/16" (126mm)  
(A = 3-1/2") (B = 3-1/2")  
SPECIES: W/W

**94** - 3/4" (19mm) x 3-1/2" (89mm)  
(A = 2-1/2") (B = 2-1/2")  
SPECIES: W/W OAK PINE MAPLE CHERRY

# CAP MOULDS




**97** - 9/16" (14mm) x 1-1/8" (29mm)  
SPECIES: W/W




**98** - 13/16" (21mm) x 1-3/4" (44mm)  
SPECIES: W/W




# DOOR STOPS / BASE SHOES




**108** - 7/16" (11mm) x 1-5/8" (41mm)  
SPECIES: W/W OAK PINE MAPLE MAHOGANY  
WALNUT




**109** - 7/16" (11mm) x 1-1/2" (38mm)  
SPECIES: W/W




**110** - 3/8" (10mm) x 1-3/8" (35mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY  
MAHOGANY WALNUT EZBEND



**111** - 7/16" (11mm) x 1-3/4" (44mm)  
SPECIES: W/W




**112** - 3/8" (10mm) x 1-1/2" (38mm)  
SPECIES: W/W




**112A** - 3/8" (10mm) x 1-3/4" (44mm)  
SPECIES: W/W


NEW PROFILE



**113** - 7/16" (11mm) x 1-3/4" (44mm)  
SPECIES: W/W OAK MAPLE CHERRY  
MAHOGANY WALNUT EZ BEND




**114** - 3/8" (10mm) x 1-1/2" (38mm)  
SPECIES: W/W




**116** - 7/16" (11mm) x 1-3/4" (44mm)  
SPECIES: W/W OAK EZ BEND

# DOOR STOPS / BASE SHOES




**117** - 1/2" (13mm) x 2-1/2" (64mm)  
SPECIES: W/W PINE




**115** - 1/2" (13mm) x 1-3/4" (44mm)

NON-STOCK


## BASE SHOES




**208** - 1/2" (13mm) x 3/4" (19mm)  
SPECIES: W/W OAK PINE MAPLE WALNUT  
EZ BEND



**209** - 1/2" (13mm) x 7/8" (22mm)  
SPECIES: W/W




**210** - 1/2" (13mm) x 3/4" (19mm)  
SPECIES: W/W




**216** - 1/2" (13mm) x 1-5/8" (41mm)  
SPECIES: W/W

## PANEL MOULDS - INSET




**118** - 7/16" (11mm) x 3/4" (19mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY  
MAHOGANY WALNUT EZ BEND




**119** - 1/2" (13mm) x 1-1/16" (27mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY  
MAHOGANY WALNUT EZ BEND


# PANEL MOULDS - INSET




**122** - 5/8" (16mm) x 1-9/16" (40mm)  
SPECIES: W/W




**122A** - 7/16" (11mm) x 1-1/8" (29mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY  
EZ BEND



**122B** - 3/4" (19mm) x 2-3/16" (56mm)  
SPECIES: W/W




**124** - 3/4" (19mm) x 2-1/4" (57mm)  
SPECIES: W/W




**126** - 1/2" (13mm) x 1-5/8" (41mm)  
SPECIES: W/W


# PANEL MOULDS - INSET




**129** - 3/8" (10mm) x 1" (25mm)  
SPECIES: W/W MAPLE CHERRY




**134** - 3/8" (10mm) x 11/16" (17mm)  
SPECIES: W/W MAPLE



**327** - 1/2" (13mm) x 1-3/4" (44mm)  
SPECIES: W/W




**328** - 7/16" (11mm) x 1-5/16" (33mm)  
SPECIES: W/W MAPLE WALNUT




**607** - 7/16" (11mm) x 7/8" (22mm)  
SPECIES: W/W

NEW PROFILE




**608** - 7/16" (11mm) x 11/16" (17mm)  
SPECIES: W/W MAHOGANY


# PANEL MOULDS - INSET




**609** - 7/16" (11mm) x 1-1/4" (32mm)  
SPECIES: W/W




**620** - 1/2" (13mm) x 1-1/4" (32mm)  
SPECIES: W/W




**645** - 11/16" (17mm) x 2-1/2" (64mm)  
SPECIES: W/W



**648** - 3/4" (19mm) x 2-1/4" (57mm)  
SPECIES: W/W




**649** - 3/4" (19mm) x 1-3/4" (44mm)  
SPECIES: W/W




**666** - 1/2" (13mm) x 7/8" (22mm)  
SPECIES: W/W OAK


# PANEL MOULDS - INSET




**333** - 1/2 (13mm) x 1-1/4" (32mm)  
SPECIES: W/W




**334** - 7/16" (11mm) x 1-1/4" (32mm)  
SPECIES: W/W



**335** - 7/16" (11mm) x 1-1/4" (32mm)  
SPECIES: W/W




**336** - 7/16" (11mm) x 1-1/4" (32mm)  
SPECIES: W/W



**128** - 9/16" (14mm) x 1-1/8" (29mm)


NON-STOCK




**127** - 3/4" (19mm) x 1-5/8" (41mm)

NON-STOCK


# PANEL MOULDS - RAISED




**130** - 1" (25mm) x 1-1/4" (32mm)  
SPECIES: W/W OAK PINE CHERRY




**130S** - 7/8" (22mm) x 1" (25mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY EZ BEND




**131** - 5/8" (16mm) x 1" (25mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY WALNUT



**132** - 1-1/4" (32mm) x 1-5/8" (41mm)  
SPECIES: W/W OAK PINE MAPLE  
MAHOGANY WALNUT




**133** - 13/16" (21mm) x 1-3/8" (35mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY WALNUT  
EZ BEND



**632** - 7/8" (22mm) x 1-1/2" (38mm)  
SPECIES: W/W OAK MAPLE  
CHERRY EZ BEND




**651** - 7/8" (22mm)" x 3" (76mm)  
SPECIES: W/W




**652** - 7/8" (22mm) x 3" (76mm)  
SPECIES: W/W

# PANEL MOULDS - RAISED




**670** - 13/16" (21mm) x 1-1/2" (38mm)  
SPECIES: W/W




**671** - 1-1/8" (29mm) x 2" (51mm)  
SPECIES: W/W


## BASE CAPS



**121** - 11/16" (17mm) x 1-3/8" (35mm)  
SPECIES: W/W PINE




**123** - 9/16" (14mm) x 1-3/4" (44mm)  
SPECIES: W/W OAK





**125** - 1-1/16" (27mm) x 1-1/2" (38mm)  
SPECIES: W/W OAK PINE MAPLE




# BED MOULDS & QUARTER ROUNDS




**135** - 5/8" (16mm) x 2-3/4"  
(A = 1-7/8") (B = 2")  
SPECIES: W/W PINE




**136** - 5/8" (16mm) x 2-1/4" (57mm)  
(A = 1-7/16") (B = 1-3/4")  
SPECIES: W/W PINE




**138** - 5/8" (16mm) x 1-5/8" (41mm)  
(A = 1-1/8") (B = 1-3/16")  
SPECIES: W/W PINE




**141** - 1" (25mm) x 1" (25mm)  
SPECIES: W/W



**142** - 3/4" (19mm) x 3/4" (19mm)  
SPECIES: W/W OAK PINE  
MAPLE




**143** - 5/8" (16mm) x 5/8" (16mm)  
SPECIES: W/W




**144** - 1/2" (13mm) x 1/2" (13mm)  
SPECIES: W/W

## ASTRAGALS, BATTENS, FASCIAS, WINDOW MULLIONS




**150** - 9/16" (14mm) x 2-1/4" (57mm)  
SPECIES: W/W




**151** - 3/4" (19mm) x 1-5/8" (41mm)  
SPECIES: W/W


# ASTRAGALS, BATTENS, FASCIAS, WINDOW MULLIONS



**162** - 3/8" (10mm) x 1.5/8" (16mm)  
SPECIES: W/W




**215** - 1-1/4" (32mm) x 2-7/16" (62mm)  
SPECIES: W/W PINE




**164** - 3/8" (10mm) x 1-3/8" (35mm) SPECIES: W/W

3/8" (10mm) x 1-1/8" (29mm) SPECIES: W/W

**165** - 1/2" (13mm) x 1-1/2" (38mm) SPECIES: W/W



**166** - 3/8" (10mm) x 1-1/4" (32mm)  
SPECIES: W/W



**211** - 3/4" (19mm) x 1-3/4" (44mm)

SPECIES: W/W PINE


**212** - 3/4" (19mm) x 1-3/8" (35mm)

SPECIES: W/W PINE MAHOGANY WALNUT


**213** - 7/16" (11mm) x 3/4" (19mm)

SPECIES: W/W MAPLE CHERRY MAHOGANY  
WALNUT

## SHINGLE MOULDS/BRICK MOULD




**152** - 1-7/32" (31mm) x 1-11/16" (42mm)  
SPECIES: W/W PINE MAPLE




**154 - BRICK MOULD**

1-1/4" (32mm) x 1-3/4" (44mm)  
SPECIES: PINE




**153** - 1-5/16" (33mm) x 2-3/8" (60mm)  
SPECIES: W/W OAK PINE MAPLE CHERRY  
MAHOGANY WALNUT

# SHINGLE MOULD




**157** - 3/4" (19mm) x 1-1/4" (32mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY EZ BEND




**158** - 3/4" (19mm) x 1-3/4" (44mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY WALNUT EZ BEND


# CHAIR RAILS




**181** - 1" (25mm) x 3-5/8" (92mm)  
SPECIES: W/W



**186** - 3/4" (19mm) x 3" (76mm)  
SPECIES: W/W EZ BEND




**187** - 5/8" (16mm) x 2-1/2" (64mm)  
SPECIES: W/W MAPLE




**189** - 1" (25mm) x 2-1/2" (64mm)  
SPECIES: W/W MAPLE CHERRY  
MAHOGANY WALNUT


# CHAIR RAILS




**189A** - 1-5/16" (33mm) x 2-1/2" (64mm)  
SPECIES: W/W



**2180** - 7/8" (22mm) x 3-1/8" (79mm)  
SPECIES: W/W




**2188** - 13/16" (21mm) x 3-1/8" (79mm)  
SPECIES: W/W



**182** - 1-1/16" (27mm) x 3-1/8" (79mm)


NON-STOCK



**183** - 1" (25mm) x 3" (76mm)


NON-STOCK

# CHAIR RAILS



**184** - 1-1/16" (27 mm) x 3-7/8" (98mm)

NON-STOCK



**185** - 1-1/16" (27mm)x 5-7/8" (149mm)

NON-STOCK


## GLASS BEADS, SHELF EDGES & CORNER GUARDS




**190** - 1/2" (13mm) x 9/16" (14mm)  
SPECIES: W/W OAK




**191** - 3/8" (10mm) x 3/8" (10mm)  
SPECIES: W/W OAK PINE MAPLE  
CHERRY MAHOGANY WALNUT




**195** - 3/8" (10mm) x 3/4" (19mm)  
SPECIES: W/W MAPLE



**197** - 1/4" (6mm) x 3/4" (19mm)  
SPECIES: W/W




**200** - 1-5/16" (33mm) x 1-5/16" (33mm)  
SPECIES: W/W



**201** - 1-1/8" (29mm) x 1-1/8" (29mm)  
SPECIES: W/W

# TONGUE & GROOVE PANELING



**145** - 3/8" (10mm) x 3-1/8" (79mm)

REVERSIBLE - 4.17 LF = 1 sq. ft. coverage


SPECIES: W/W PINE



**145B** - 1/2" (13 mm) x 5-1/2" (140mm)

2.28 LF = 1 sq. ft. coverage

NON-STOCK



**145S** - 3/8" (10mm) x 3-1/8" (79mm)

4.17 LF = 1 sq. ft. coverage

SPECIES: W/W



**146** - 3/4" (19mm) x 3-1/2" (89mm)

3.69 LF = 1 sq. ft. coverage

SPECIES: PINE



**146A** - 3/4" (19mm) x 4-3/4" (121mm)

2.67 LF = 1 sq. ft. coverage

SPECIES: W/W



**146B** - 3/4" (19mm) x 5-1/2" (140mm)

2.28 LF = 1 sq. ft. coverage

SPECIES: PINE

NEW DESIGN

# MDF BEADBOARD

Brenlo is pleased to offer the following stock paneling products for your convenience.



- 1) Classic "w" bead 3/8" (10mm) x 4' x 8'  
MDF Sheets Bead is 1-1/2" (38mm) on  
centre.



- 2) Standard beadboard 1/2" (13mm) x 4' x  
8' MDF Sheets  
Bead is 2" (51mm) on centre.




- 3) Antique "V" Groove 1/2" (13mm) x 4' x 8'  
MDF Sheets  
V Groove is 3" (76mm) on centre.


**Custom bead and v-groove  
sheets available upon request.**

# PANELING

## DETAILS



2 SECTION THROUGH TYP. PANELING  
 3" : 1'-0"






# PANELING


## DETAILS

Paneling can be made from a variety of mouldings and sheet products to achieve the look you want. This simple diagram shows a typical paneling detail and elevation to help you visualize the possibilities of what can be done with standard mouldings.




1 PARTIAL FRONT ELEV. OF PILASTER  
 1A7.4 3" : 1'-0"

# SPECIALTY ITEMS



## 149 - NOSING

1" (25mm) x 3-1/2" (89mm)  
SPECIES: OAK




## 204 - CORNER EDGE

3/4" (19mm) x 3/4" (19mm)  
SPECIES: W/W PINE




## 225 - PICTURE

11/16" (17mm) x 1-3/4" (44mm)  
SPECIES: W/W




## L1 - ARCHITRAVE

1-3/4" (44mm) x 4-3/4" (121mm)  
SPECIES: W/W



## 332 - ARCHITRAVE


1-3/4" (44mm) x 2-3/4" (70mm)  
3/4" (19mm) Rabbet  
SPECIES: W/W



## 179 - BAR RAIL

1-3/4" (44mm) x 5-1/4" (133mm)  
SPECIES: OAK MAPLE

# SPECIALTY ITEMS




## CORNER BLOCK

**66** - 1" (25mm) x 4-1/2" (114mm) x 4-1/2" (114mm)  
SPECIES: W/W

**66A** - 1" (25mm) x 3-3/4" (95mm) x 3-3/4" (95mm)  
SPECIES: W/W


**65** - 7/8" (22mm) x 3" (76mm) x 3" (76mm)  
SPECIES: W/W



## 155 - TEAR DROP

1" (25mm) x 1" (25mm)


NON-STOCK



## CORNER BLOCK

**67** - 1-3/8" (35mm) x 4-1/2" (114mm) x 4-1/2" (114mm)  
SPECIES: W/W

**68** - 1-5/16" (33mm) x 3" (76mm) x 3" (76mm)  
SPECIES: W/W



## 330 - FILIGREE

5/8" (68mm) x 2" (51mm)  
SPECIES: W/W




## 329 - FILIGREE

3/8" (10mm) x 1-1/8" (29mm)  
SPECIES: W/W PINE

## 331 - ARCHITRAVE

1-1/4" (28mm) x 2-11/16" (68mm)  
SPECIES: W/W



## HALF ROUNDS

**205D** - 1-3/4" (44mm) x 3-1/2" (89mm)  
SPECIES: W/W

**205C** - 1-1/2" (38mm) x 3" (76mm)  
SPECIES: W/W


**205B** - 1-1/4" (32mm) x 2-1/2" (64mm)  
SPECIES: W/W

**205A** - 1" (25mm) x 2" (51mm)  
SPECIES: W/W PINE MAPLE

**205** - 3/4" (19mm) x 1-1/2" (38mm)  
SPECIES: W/W OAK PINE MAPLE

**206** - 1/2" (13mm) x 1" (25mm)  
SPECIES: W/W PINE



**207** - 3/8" (10mm) x 3/4" (19mm)  
SPECIES: W/W OAK PINE MAPLE



# SPECIALTY ITEMS

## 171 - PILASTER


3/4" (20mm) x 6" (152mm)  
SPECIES: W/W



## PLINTH BLOCK


**337** - 1-3/8" (35mm) x 20" (508mm) x 4-1/2" (114mm)  
SPECIES: W/W

**337** - 1-3/8" (35mm) x 20" (508mm) x 3-3/4" (95mm)  
SPECIES: W/W




## 903 - HANDRAIL

1-5/8" (41mm) x 2-3/4" (70mm)  
SPECIES: OAK



## 904 - HANDRAIL


1-5/8" (41mm) x 2-3/4" (70mm)  
SPECIES: W/W OAK



## 930 - FILLER STRIP

1/4" (6mm) x 1-5/16" (33mm)  
SPECIES: W/W


# MDF & FINGER JOINT PROFILES



## **MDF 8915 COLONIAL BASE**


1/2" (13mm) x 7-1/4" (184mm)

**MDF 8095** - 1/2" (13mm) x 5-1/4" (140mm)



## **MDF8235 STEP BASE**

5/8" (16mm) x 7-1/8" (181mm)



## **2900FJP - CASING**


1" (25mm) x 3" (75mm)

Only available in Finger Joint Pine, one piece quick install



## **MDF 8954 - CASING**





3/4" (19mm) x 3-1/2" (89mm)



## **MDF 8031 - CASING**

3/4" (19mm) x 3-1/2" (89mm)

# CEILING & BEAM COMBINATIONS



# DOORS

For Custom and Luxury Home builders, Contractors, Commercial use, and discerning homeowners, choosing premium quality solid wood or engineered construction doors that meet the toughest requirements, means confidence and peace of mind that comes from choosing doors built to last a lifetime, adding prestige and value to any home or project.

Not all doors are created equal or meet Brenlo quality standards. We offer two exclusive lines of finest premium solid wood doors not available from other suppliers in Ontario: the "Platinum Series" and "Silver Series" are Brenlo's 2 and 3 panel IN-STOCK, primed and ready to install doors. These two solutions are considered the quality and value benchmark in the market and are only available from Brenlo.

Not every project space calls for a premium door solution. Brenlo also carries a wide variety of good quality builder grade hollow core, solid core and moulded panel doors that are a perfect affordable alternative when overall budget or less critical parts of a project call for it.

**CUSTOM DOORS:** In addition to stock door programs, Brenlo has a proven track record in providing custom and special order doors and getting it "Right and On Time" every time. We can produce doors in any size, species, style and finish you desire.

**COMMERCIAL CUSTOM DOORS:** Brenlo is a key supplier to many of the leading retail fixture and commercial millwork shops in Ontario for custom materials and doors. Doors for institutional, hotels, custom offices and the like require fire rated, fully engineered designs of the highest quality. Brenlo door suppliers can meet these demanding standards and unique custom needs.

Whatever your design or imagination calls for in Residential or Commercial applications, if you are looking for high performance truly unique custom doors, our dedicated special order door experts can source from a wide range of suppliers to have them designed and manufactured to suit, typically in 4 weeks.

## PREMIUM QUALITY - "BEST" DOORS

These doors are manufactured to be everlasting, durable, sound resistant and aesthetically beautiful. They hold a finish extremely

### SILVER SERIES

EXCLUSIVELY AT BRENLO

- SOLID WOOD, TRUE STILE & RAIL
- 2-PANEL AND 3-PANEL
- SEALED 6 SIDES AND BEVELED
- BRENLO "MATCHED" PROFILE

Available in:

- Stock: 1¾" – 80", 84", 90", 96"
- Widths from 16" -36"

Engineered stiles and rails prevent warping



# SILVER SERIES DOORS

## 2-PANEL

Standard  
Dimensions


Available In:

Thickness: 1-3/4"

Widths: 16" – 36"

(2" Increments)

Heights: 80", 84", 90", 96"





# SILVER SERIES DOORS

## 3-PANEL

Standard  
Dimensions


Available In:

Thickness: 1-3/4"

Widths: 16" – 36"

(2" Increments)

Heights: 80", 84", 90", 96"



# DOORS

## MIDRANGE QUALITY – “BETTER” DOORS

---

These doors are primarily the higher end of moulded “skin” doors with solid core, a variety of simulated panel designs and patterns in smooth or simulated wood grain finishes.

### “SAFE N’ SOUND” DOORS – MASONITE

A solid particle core, moulded MDF veneer door category often used in less prominent areas of custom homes such as secondary basement rooms, utility rooms, etc. Solid core has partial sound proofing effect.

- Available as 1-3/4” thickness, 80” high only
- 18” - 36” width depending on pattern / style

## ECONOMY QUALITY – “GOOD” DOORS

---

This category is a common sub-division home class of doors often sold by any big box home center retailer. Brenlo offers these doors as a convenience for customers who may use them in secondary locations of a project.

### SOLID CORE SLAB DOORS

A solid particle core, Masonite veneer smooth flat door used in less prominent areas of custom homes such as secondary basement rooms, utility rooms, etc. Solid core has partial sound proofing effect.

- Available as 1-3/8” thickness in 80” AND 1-3/4” thickness in 96”
- 18” - 36” width available

### HOLLOW CORE DOORS

A hollow core, moulded or flat Masonite veneer door used in less prominent areas of custom homes such as secondary basement rooms, utility rooms, etc.

- Available as 1-3/8” thickness in 80” AND 1-3/4” thickness in 96”
- 18” - 36” width depending on pattern / style

# DOORS

## STOCK DOORS AT BRENLO



### Solid Core Hardboard

1-3/8" X 12" X 80"  
 1-3/8" X 14" X 80"  
 1-3/8" X 15" X 80"  
 1-3/8" X 16" X 80"  
 1-3/8" X 18" X 80"  
 1-3/8" X 20" X 80"  
 1-3/8" X 22" X 80"  
 1-3/8" X 24" X 80"  
 1-3/8" X 26" X 80"  
 1-3/8" X 28" X 80"  
 1-3/8" X 30" X 80"  
 1-3/8" X 32" X 80"  
 1-3/8" X 34" X 80"  
 1-3/8" X 36" X 80"

### Solid Core Hardboard Cut at any height

1-3/4" X 18" X 96"  
 1-3/4" X 20" X 96"  
 1-3/4" X 22" X 96"  
 1-3/4" X 24" X 96"  
 1-3/4" X 26" X 96"  
 1-3/4" X 28" X 96"  
 1-3/4" X 30" X 96"  
 1-3/4" X 32" X 96"  
 1-3/4" X 34" X 96"  
 1-3/4" X 36" X 96"



### Hollow Core Hardboard


1-3/8" X 12" X 80"    1-3/8" X 24" X 80"  
 1-3/8" X 14" X 80"    1-3/8" X 26" X 80"  
 1-3/8" X 15" X 80"    1-3/8" X 28" X 80"  
 1-3/8" X 16" X 80"    1-3/8" X 30" X 80"  
 1-3/8" X 18" X 80"    1-3/8" X 32" X 80"  
 1-3/8" X 20" X 80"    1-3/8" X 34" X 80"  
 1-3/8" X 22" X 80"    1-3/8" X 36" X 80"

## SAFE 'N' SOUND DOORS




### "CARRARA" (2 Panel Straight Top) Smooth Safe 'N' Sound

1-3/8" X 18" X 80"  
 1-3/8" X 20" X 80"  
 1-3/8" X 22" X 80"  
 1-3/8" X 24" X 80"  
 1-3/8" X 26" X 80"  
 1-3/8" X 28" X 80"  
 1-3/8" X 30" X 80"  
 1-3/8" X 32" X 80"  
 1-3/8" X 34" X 80"  
 1-3/8" X 36" X 80"




### "ROMAN" SMOOTH (2 Panel Round Top) Smooth Safe 'N' Sound

1-3/8" X 18" X 80"  
 1-3/8" X 24" X 80"  
 1-3/8" X 26" X 80"  
 1-3/8" X 28" X 80"  
 1-3/8" X 30" X 80"  
 1-3/8" X 32" X 80"



### Hollow Core "CARRARA" Smooth (2 Panel Straight Top)

1-3/8" X 16" X 80"  
 1-3/8" X 18" X 80"  
 1-3/8" X 20" X 80"  
 1-3/8" X 22" X 80"  
 1-3/8" X 24" X 80"  
 1-3/8" X 26" X 80"  
 1-3/8" X 28" X 80"  
 1-3/8" X 30" X 80"  
 1-3/8" X 32" X 80"  
 1-3/8" X 34" X 80"  
 1-3/8" X 36" X 80"




### Hollow Core "ROMAN" Smooth (2 Panel Round top)

1-3/8" X 18" X 80"  
 1-3/8" X 24" X 80"  
 1-3/8" X 26" X 80"  
 1-3/8" X 28" X 80"  
 1-3/8" X 30" X 80"  
 1-3/8" X 32" X 80"

Contact us for our current in stock door program that is not listed. 416 749-6857


# DOORS

## STANDARD MOULDED PANEL SERIES PATTERNS




6 - Panel  
Colonist Smooth or  
Textured

**NON-STOCK**




2 - Panel Arch Top  
Classique - Textured  
Cremona - Smooth

**NON-STOCK**




4 - Panel  
Coventry Smooth or  
Textured

**NON-STOCK**



5 - Panel  
Riverside  
Smooth

**NON-STOCK**




3 - Panel  
Clermont  
Textured


**NON-STOCK**

# DOORS

## STANDARD MOULDED PANEL SERIES PATTERNS




2 - Panel  
Carrara  
Smooth




2 - Panel  
Roman  
Smooth

## SPECIAL ORDER



Bellagio2  
-Panel  
Arch

NON-STOCK




Capri 2  
-Panel  
Square


NON-STOCK

# FRENCH DOORS


## NON-STOCK



1 Lite to 9 Lite




15 - Lite




9 - Lite Prairie  
Style




5 - Lite




10 - Lite




10 - Lite  
Eyebrow




15 Lite  
Eyebrow



12 - Lite with  
Panel



15 - Lite  
Bevel with  
Panel Non  
Temp




18 - Lite  
Bevel Non  
Temp


# PANEL DOORS

## NON-STOCK


### SHAKER




1 - Panel




2 - Panel



3 - Equal Panel



4 - Equal Panel




5 - Equal Panel


### RAISED PANEL



3 - Panel  
Eyebrow



4 - Panel



6 - Panel

# DOOR HARDWARE

IN-STOCK STANDARD LEVER HANDLE LATCH SETS  
DUMMY LEVER SETS



## DOOR CLOSER

up to 36" x 84" 600 Series, ALUM (55-100 LBS)



## BULLET CATCH

w/Full Lip Strike,  
satin nickel, antique nickel, oil  
rubbed bronze



## 3 1/8" SPRING DOOR STOP

satin nickel, antique nickel, oil  
rubbed bronze



## 2 7/8" DIECAST DOOR STOP

satin nickel, antique nickel, oil  
rubbed bronze



## 6" FLUSH BOLT

Sq. End, satin nickel, antique  
nickel, oil rubbed bronze



# DOOR HARDWARE

## IN-STOCK STANDARD LEVER HANDLE LATCH SETS DUMMY LEVER SETS



### EQUINOX LEVER

- satin nickel finish
- passage, privacy, and dummy.



### BRISTOL LEVER

- finishes: nickel – satin or antique, oil rubbed bronze.
- LH and RH
- passage, privacy and dummy



### COVENTRY OVAL KNOB

- finishes: nickel – satin or antique, oil rubbed bronze
- passage, privacy and dummy



### DEADBOLTS

#### DEADBOLT SINGLE CYLINDER

satin nickel, antique nickel, oil rubbed bronze



### GRIPSETS

Madera w/ Villa

satin nickel, antique nickel, oil rubbed bronze



# DOOR HARDWARE

## MISCELLANEOUS IN-STOCK HARDWARE

### HINGES



All hinges come standard with Butt Tips

Premiere Butt Tip Hinges - Bright Brass, Satin Nickel, Plain Bearing, Oil Rubbed Bronze, Antique Nickel

3" X 3" (2.4mm thickness) - Plain Bearing

3 1/2" X 3 1/2" (3.1mm thickness) - Ball Bearing

4" X 4" (3.4mm thickness) - Ball Bearing

#### Optional Hinge Tips




Premiere Acorn, Ball, Steeple or Urn Tips sold separately  
Bright Brass, Satin Nickel, Oil Rubbed Bronze, Antique Nickel

Each set of tips will accommodate one pair of hinges sold in packages of 4

### POCKET DOOR TRACK & HARDWARE

C400 48" Single Door T&H  
C400 64" Single Door T&H  
C400 72" Single Door T&H  
C400 96" Single Door T&H  
C400 120" Single Door T&H



Additional Hardware kits in stock

\* Please note: Hardware kits included with track are for one single door only


White Closet Rods 30" to 48"

White Closet Rods 48" to 72"

White Closet Rods 72" to 96"

White Closet Rods 96" to 120"

Other Miscellaneous Hardware White Shelf Support Brackets



# PLYWOOD

## EXPLANATION OF VENEER AND CORE GRADES

### GRADING VENEERS

The term “grade” describes the natural characteristics allowed in each veneer or ply. The face ply in hardwood plywood is exposed, and therefore, the face grade defines the panel appearance and quality. Some panels have a face made of highly matched veneers with uniform colour and grade. Other panels may include more character marks and colour variation to comply with the desired appearance.

### FACE GRADES

AA Best quality face is used where minimal defects are required for doors, architectural paneling, and fine furniture.

A AA is not required, but appearance is important for cabinets, case goods and general millwork.

B Natural characteristics and appearance are desirable.

C, D, E Solid face with unlimited colour variation. C, D, and E respectively allow repairs in increasing sizes.

### TERMINOLOGY:

PC Particle Core

VC Veneer Core


# PLYWOOD

## STOCK SPECIES & GRADES

### RED OAK - FLAT CUT

Stain Grade

1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G2S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G2S – V.C. – A-Face




### MAPLE - ROTARY CUT

Stain Grade / Paint Grade

1/4" X 4 FT X 8 FT – G1S – V.C. – A-Face  
 1/2" X 4 FT X 8 FT – G2S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G2S – V.C. – A-Face  
 3/4" X 4 FT X 8 FT – G2S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G2S – V.C. – A-Face

Plain Sliced or Flat Sliced



### CHERRY - FLAT CUT

Stain Grade

1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

### MAPLE - FLAT CUT

Stain Grade

1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

### WALNUT - FLAT CUT

Stain Grade

1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

### BIRCH - ROTARY CUT

Paint Grade (Putty Patch)

1/2" X 4 FT X 8 FT – G1S – V.C.  
 3/4" X 4 FT X 8 FT – G1S – V.C.

### KHAYA MAHOGANY - FLAT CUT

Stain Grade

1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face  
 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

#### LEGEND

P.C. - Particle Core

V.C. - Veneer Core

G1S - Good One Side

G2S - Good Two Sides

Brenlo can source and supply most plywoods required for your project

# SHEET GOODS

IN-STOCK AT BRENLO

## veneer edge tape

Birch, Cherry, Mahogany, Red Oak, White Melamine, White Oak, Black Walnut

### CREZON (MDO)

(Exterior Plywood)

1/2" X 4' X 8' G1S

3/4" X 4' X 8' G1S

### FLEX PLY

3/8" X 4' X 8' Short Grain Flex Ply  
(Wiggleboard)

### PREMIUM BOARD MDF RANGER BRAND

1/4" X 4' X 8'

3/8" X 4' X 8'

1/2" X 4' X 8' \*

5/8" X 4' X 8'

3/4" X 4' X 8' \*

1" X 4' X 8'

### OVERSIZED M.D.F BOARD

3/4" X 4' X 9'

1/4" X 5' X 10'

1/2" X 5' X 10'

3/4" X 5' X 10'

3/4" X 5' X 12'

### MASONITE BACKER

1/8" X 4' X 8'

## SAUNA MATERIALS

Sauna Doors priced upon request.

### SELECT CEDAR

Aromatic 12 sq. ft. per bundle

1 X 4 T & G (select)

1 x 4

1 X 6

2 X 4

2 X 6

2 X 8

Cedar Sauna Handles

Shim Shingles

Aluminum Sauna Foil

# DRESSED FOUR SIDES (D4S)

Brenlo is one of the largest suppliers of stock & custom D4S. We have an in-stock program of 1/2", 3/4", 1-1/4" & 1-1/2" thicknesses in a wide variety of widths and species.

## DRESSED FOUR SIDES SQUARE STOCK:

<b>1/ 2 x 2</b> (1/2" x 1-1/2")	<b>1/ 2 x 4</b> (1/2" x 3-1/2")	<b>1/2 x 6</b> (1/2" x 5-1/2")	<b>1/2"</b> <input type="text"/>	
<b>1 x 2</b> (3/4" x 1-1/2")	<b>1 x 3</b> (3/4" x 2-1/2")	<b>1 x 4</b> (3/4" x 3-1/2")	<b>1 x 6</b> (3/4" x 5-1/2")	<b>1 x 8</b> (3/4" x 7-1/4")
<b>1 x 10</b> (3/4" x 9-1/4")	<b>1 x 12</b> (3/4" x 11-1/4")	<b>3/4"</b> <input type="text"/>		
<b>5/4 x 4</b> (1-1/4" x 3-1/2")	<b>5/4 x 6</b> (1-1/4" x 5-1/2")	<b>1-1/4"</b> <input type="text"/>		
<b>2 x 2</b> (1-1/2" x 1-1/2")	<b>2 x 4</b> (1-1/2" x 3-1/2")	<b>2 x 6</b> (1-1/2" x 5-1/2")	<b>2 x 8</b> (1-1/2" x 7-1/4")	
<b>2 x 10</b> (1-1/2" x 9-1/4")	<b>2 x 12</b> (1-1/2" x 11-1/4")	<b>1-1/2"</b> <input type="text"/>		

## STOCK AVAILABLE SPECIES

D4S		W/W	Oak	Pine	Maple	Cherry	Mahog	Walnut	W.Oak
D412X2	1/2" x 1-1/2"	•	•	•	•	•			
D412X4	1/2" x 3-1/2"	•	•	•	•	•	•	•	
D412X6	1/2" x 5-1/2"	•	•	•	•	•	•	•	
D4x1	3/4" x 3/4"								
D41x2	3/4" x 1-1/2"	•	•	•	•	•	•	•	
D41x3	3/4" x 2-1/2"	•	•	•	•	•			
D41x4	3/4" x 3-1/2"	•	•	•	•	•	•	•	•
D41x5	3/4" x 4-1/2"	•		•					
D41x6	3/4" x 5-1/2"	•	•	•	•	•	•	•	•
D41x8	3/4" x 7-1/4"	•	•	•	•	•	•		
D41x10	3/4" x 9-1/4"	•	•	•					
D41x12	3/4" x 11-1/4"	•	•	•					
D4125x4	1-1/4" x 3-1/2"	•		•					
D4125x6	1-1/4" x 5-1/2"	•		•					
D42x2	1-1/2" x 1-1/2"	•		•	•				
D42x4	1-1/2" x 3-1/2"	•	•	•	•	•			
D42x6	1-1/2" x 5-1/2"	•	•	•	•	•			
D42x8	1-1/2" x 7-1/4"	•		•	•				
D42x10	1-1/2" x 9-1/4"	•		•					
D42x12	1-1/2" X 11-1/4"	•		•					
JAMBS		W/W	Oak	Pine	Maple	Cherry	Mahog	Walnut	K.Pine
4.625	3/4" x 4-5/8"	•	•	•	•	•	•	•	•
4.875	3/4" x 4-7/8"	•							
6.625	3/4" x 6-5/8"	•		•			•		•
6.875	3/4" x 6-7/8"	•							
5.5Rab	1-1/2" x 5-1/2"	•				rabbeted for 1-3/4" door			

## EDGE BEVELLED WITH RELIEF GROOVES ONE SIDE

### BEVELED JAMB STOCK:

3/4" x 4-5/8" For 2 x 4 & 1/2" Drywall  
3/4" x 4-7/8" For 2 x 4 & 5/8" Drywall  
3/4" x 6-5/8" For 2 x 6 & 1/2" Drywall  
3/4" x 6-7/8" For 2 x 6 & 5/8" Drywall


### SINGLE RABBETED JAMBS:

1-1/2" X 5-1/2"  
(Rabbet size 1/2" X 1-13/16")  
For walls up to 5-1/2" wide.

# EXTERIOR TRIM BOARD

## BRENLO'S PRIMED WHITE FASCIA BOARD SIZES

1" x 6" (3/4" x 5-1/2") x 16 ft  
1" x 8" (3/4" x 7-1/4") x 16 ft  
1" x 10" (3/4" x 9-1/4") x 16 ft



## DuraBoard

### DURABOARD PW / DURATRIM SHEETS

Duraboard is a PVC / Wood composite board designed for exterior applications. It is a non-porous material that can be cut, routed, formed, etc. This product will not rot, twist or cup. May be used wherever wood trim is normally used, ideal for extension mud rails, fascia, soffits etc. Great for use in all the tough to trim places, where you want a long lasting product that will look just as good 20 years from the day you invest in it.

### TRIMBOARD (UNPRIMED):

1" x 6" (3/4" x 5-1/2") x 16'  
1" x 8" (3/4" x 7-1/4") x 12' & 16'  
1" x 10" (3/4" x 9-1/4") x 12' & 16'  
1" x 12" (3/4" x 11-1/4") x 12'

### SHEETS:

1/4" (6mm) x 4' x 8'	3/4" (19mm) x 4' x 8'
1/2" (13mm) x 4' x 8'	3/4" (19mm) x 4' x 10'
1/2" (13mm) x 4' x 12'	3/4" (19mm) x 4' x 12'



TAKE IT  
OUTSIDE!

### TREATED EXTERIOR PANEL

Limited EXP & Contraction

Moisture Resistant exterior panel for paint-grade applications

Resists rot and termites; treated with zinc borate

No added formaldehyde

Phenolic-bonded for moisture resistance and durability

5-year limited warranty

Patented, proprietary TECTM manufacturing technology

Size (nominal)	Thickness (=/- 0.005")				
	1/2"	5/8"	3/4"	1	1-1/4"
4' x 8' (49" x 97")	•	<b>A</b>	•	<b>A</b>	<b>A</b>
4' x 16' (49" x 194")	<b>A</b>	<b>A</b>	<b>A</b>	<b>A</b>	<b>A</b>
2' x 16' (25" x 194")	<b>A</b>	<b>A</b>	•	<b>A</b>	<b>A</b>

Fascia, Columns, Soffits, Window Treatments

• Stocked Inventory    **A** Available as special order

# COLUMNS

## WOOD AND COMPOSITE

Columns must be clearly specified as interior or exterior, load bearing or decorative.

### POLY COLUMNS

Poly classic columns are available for interior or exterior.

Most customers prefer to use wood columns on the interior and poly on the exterior. Poly columns can be ordered as follows:

- A) Composite columns with poly caps and poly bases included in price
- B) Composite columns with aluminum caps and aluminum bases - additional charge.

Both aluminum and poly bases are sold as the standard Tuscan design base.

### WOOD COLUMNS


Wood columns are available in two standard wood species:

- A) Pine or Fir for interior or exterior use (Allow 1-2 weeks for delivery)
- B) Custom wood columns in most species. (Allow 4-8 weeks.)


All columns can be made to exact specifications. ie. a 9ft (108") column can be ordered at 105-1/2".

Interior wood columns will normally be ordered with wood base and cap included in price.

Please note Brenlo recommends that all exterior wood columns are ordered with aluminum bases to maintain warranty.



Plain Colonial



Fluted Colonial



Tuscan Base - RS



Tuscan Base - RR



Tuscan Base - RO



Attic Base



# NOVAWOOD

Novawood is Ash decking and siding lumber that has been thermally modified using high temperatures (1800 C – 2120 C), water vapour and pressure.

Through this treatment, Novawood achieves unparalleled stability and durability for exterior applications.

The thermal modification process takes 48–96 hours, depending on species, thickness and initial moisture content. Absolutely no chemical substances are used in the production process.




## End Match Technology

This revolutionary technique allows for 100% usage of each board. The seams are NOT required to rest on support joists. This saves time measuring and cutting and gives a clean hardwood flooring look. Not to mention the design possibilities that are only limited by your imagination.

## Hidden Clip Technology

The Novawood deckboards we carry in stock are pre-grooved and joined together with custom hidden clips. These clips allow for perfect board spacing, clean lines and minimal hardware.



## Key Features:

## Why Choose Novawood?

- 100% Natural – Absolutely no chemicals used during the entire Thermowood process.
- Environmentally Responsible – Harmless to human beings and all living species. Environmentally friendly, healthy, recyclable and strong.
- Durable & Stable – Performs in all weather conditions, outlasting many other species.
- Sustainable – Produced from sustainable forests. FSC Certified.
- Easy – Light weight, easy on tooling and machinery; planks are 100% usable.
- Homogeneous – Colour of wood is consistent throughout.
- Comfortable – 25% more acoustic and heat isolated than non-thermally modified wood. No hot feet, unlike plastic decking.
- Safe – 30% more fire resistant than normal lumber. Insect habitation is completely prevented. Resistant to decay and fungal growth.

# DECKING

## IPE DECKING (TABEBUIA SPP)

IPE: (tabebuia) is a South American Hardwood that is naturally strong, durable, and decay/termite resistant. The decking material is knot free and needs no preservative treatment. It can be left "raw" and will turn a natural grey colour or can be coated with a stain of your choice (IPE OIL recommended). Unlike other suppliers, Brenlo machine sands one side of all stock IPE to provide the user with a consistent smooth visible surface.

Performance: IPE is one of the densest hardwoods on earth three times the hardness of oak. As a result, it remains smooth and splinter free. Unlike soft woods, water absorption is slow and therefore will not cup, bow, or twist like other woods.

Applications: Ideal for patios and decks, piers, boat docks, outdoor furniture, walkways, bridges and paths, pool side benches and decks.

- AIR DRIED – EASED 4 EDGES
- SANDED ONE SIDE

NOMINAL SIZE 1 x 4 x 8 – 20 ft

5/4 x 6 x 8 – 20 ft Stock Inventory

Below is subject to availability:

1 x 4	2 x 2	4 x 4
1 x 6	2 x 4	6 x 6
1 x 8	2 x 6	8 x 8
1 x 10	2 x 8	T-Connect Pieces
1 x 12	2 x 10	
2 x 2	2 x 12	

"Hidden" Deck Brackets available in: Powder Coat  
Galvanized, Stainless Steel

EB-TY Fasteners available with groove option Contractor  
boxes of 100pcs with hardware

Special order lead time -10 days.

# CONVERSION CHART


Fraction	Decimal	MM
1/64	0.0156	0.3969
1/32	0.0313	0.7938
3/64	0.0469	1.1906
1/16	0.0625	1.5875
5/64	0.0781	1.9844
3/32	0.0938	2.3813
7/64	0.1094	2.7781
1/8	0.125	3.175
9/64	0.1406	3.5719
5/32	0.1563	3.9688
11/64	0.1719	4.3656
3/16	0.1875	4.7625
13/64	0.2031	5.1594
7/32	0.2188	5.5563
15/64	0.2344	5.9531
1/4	0.25	6.35
17/64	0.2656	6.7469
9/32	0.2813	7.1438
19/64	0.2969	7.5406
5/16	0.3125	7.9375
21/64	0.3281	8.3344
11/32	0.3438	8.7313
23/64	0.3594	9.1281
3/8	0.375	9.525
25/64	0.3906	9.9219
13/32	0.4063	10.3188
27/64	0.4219	10.7156
7/16	0.4375	11.1125
29/64	0.4531	11.5094
15/32	0.4688	11.9063
31/64	0.4844	12.3031
1/2	0.5	12.7

Fraction	Decimal	MM
33/64	0.5156	13.0969
17/32	0.5313	13.4938
35/64	0.5469	13.8906
9/16	0.5625	14.2875
37/64	0.5781	14.6844
19/32	0.5938	15.0813
39/64	0.6094	15.4781
5/8	0.625	15.875
41/64	0.6406	16.2719
21/32	0.6563	16.6688
43/64	0.6719	17.0656
11/16	0.6875	17.4625
45/64	0.7031	17.8594
23/32	0.7188	18.2563
47/64	0.7344	18.6531
3/4	0.75	19.05
49/64	0.7656	19.4469
25/32	0.7813	19.8438
51/64	0.7969	20.2406
13/16	0.8125	20.6375
53/64	0.8281	21.0344
27/32	0.8438	21.4313
55/64	0.8594	21.8281
7/8	0.875	22.225
57/64	0.8906	22.6219
29/32	0.9063	23.0188
59/64	0.9219	23.4156
15/16	0.9375	23.8125
61/64	0.9531	24.2094
31/32	0.9688	24.6063
63/64	0.9844	25.0031
1	1	25.4

# BRENLO CUSTOM SHOP




Brenlo will custom make solid wood laminated panels. Panels can be made in a variety of widths and lengths. Laminated panels are often used for bar tops, stair treads & other high use applications. These products can be made in virtually any species. Please contact our order desk or fax details and specifications of your requirements to us @ (416) 749-8969.



Our C.N.C.Router machining quarter cut white oak furniture components



Curved oak crowns, chair rails and base boards for wrapping of large oak columns



Architect designed large exterior pine porch brackets for a custom home builder



Another unique design of 3'x 4' porch brackets

# CUSTOM SHOP

Over the years Brenlo has become much more than just a wood moulding manufacturer. We focus on creating a unique product for our customers and in turn their clients. Our Custom Shop takes great pride in these products and solutions while in keeping with the vision of the project. We have once again expanded our manufacturing capabilities with the latest technology. We remain true to great craftsmanship and attention to detail. We now offer more Joinery and Bench-work type products. Some of the new products available are our specialty doors, over-sized porch brackets, courtroom and church pew components, solid wood laminated table/counter tops, C.N.C parts and components for the Store Fixture Industry.

Please call us for your next unique and challenging project; we can help you with it. See page 92 for examples of the craftsmanship our Custom Shop produces. If it's made of wood we can do it!

## ARCHES & CURVES

Brenlo specializes in curved casings, backbands, crowns, baseboards, bar rails, chair rails and panel moulds.

Curves can be made from a template or from accurate measurements. Arches made from measurements for window casings tend to be the most accurate as they give a true consistent radius.

### VERTICAL CURVES

Typical arch types are as follows:



Symmetrical Arch



Elliptical Arch



Full Circle Arch



Half Circle Arch

Please note all horizontal curves must be clearly specified as concave or convex applications.

### HORIZONTAL CURVES



Concave Curve  
Profile is on the  
inside of the curve



Convex Curve  
Profile is on the  
outside of the curve

Top View



Chord (span)

### HOW TO MEASURE CURVES


To make an arch window casing you need to have only two critical measurements. These measurements are as follows:

- 1 ) The accurate chord (inside width) of the casing line
- 2 ) The accurate rise (height) from your horizontal line (chord) to the inside of your casing line For a cost effective alternative, we also offer some profiles custom run in EZ Bend.


# WOOD SPECIES



Whitewood  
(Poplar)



Red Oak




Eastern White Pine




Hard White Maple




American  
Black Cherry



Genuine Mahogany



Black Walnut



Knotty Pine

## Other Species

---

Quarter Cut Red Oak

Rift Cut Red Oak

White Oak

Quarter Cut White Oak

Rift Cut White Oak

African Mahogany

Jatoba (Brazilian Cherry)

North American Beech

European Steamed Beech

Burmese Teak

Soft Maple

Red Pine

Red Birch

Alder

IPE

Vertical Grain Fir





# ENVIRONMENTAL COMMITMENT

Brenlo is well known for our commitment to sustainability and industry best practices when it comes to environmental compliance. We are FSC® Certified and have expert staff supporting our active involvement in the Canada Green Building Council, LEED building and AWMAC commercial standards

Respect for our natural resources and respect for the environment are two of the most important priorities at Brenlo Ltd. Our wood suppliers comply with all government regulations. Conservation of natural resources is also considered essential: hence, Brenlo's suppliers of wood products emphasize yield management by equipping their facilities with the latest technology available. Our suppliers are constantly seeking better ways to protect and sustain our natural resources that provide the raw material which we then mill and supply to you, our valued customer.

Brenlo's suppliers actively enforce all federal and regional Sustainable Forestry Initiatives, and support the standards set by the National Hardwood Lumber Association. These suppliers participate in, or meet the most rigid independent environmental certification programs including FSC certified products.

At Brenlo, we feel that it is our personal and professional responsibility to help sustain the forests, wildlife habitat and ecosystems that we depend on. It is our belief that a healthy environment and a sound and sustainable use of nature's treasures means a healthy future for all concerned.



The mark of  
responsible forestry



Brenlo is a proud supporter of





# SERVICES

## “RIGHT & ON-TIME” GUARANTEE.

Our reputation comes from quality products but even more from making sure that the best builders and contractors can bet their reputations on Brenlo getting everything right and delivering on schedule to a project. You can trust that we will do what we say and meet or exceed your expectations when it comes to reliability and consistency...OR WE WILL MAKE IT RIGHT.

## FLEXIBLE DELIVERY MANAGEMENT

For house lots or projects involving multiple floors, extended or interrupted project timelines or flexible “just-in-time” delivery, Brenlo offers options to pre-package and then deliver on site by floor, by product type (i.e. jambs only, casing & jambs, doors separately, baseboard last) or any method that meets your requirements.

## CUSTOM MOULDING

In addition to over 300 stock profiles in this catalogue, Brenlo has produced over 7,000 custom profiles using our state of the art custom knife shop. If you don't see the design you are looking for, we will make it to order for you whether in small quantities, large volumes, special species, custom sizes or even different finishes like wire brushed or rough sanded.

## HARDWOOD SPECIES AND D4S

We stock an extensive assortment of North American quality hardwood and softwood, as well as exotic hardwood species in various grades and thicknesses. In addition to finished trim, our in-house planing and ripping services allow us to provide rough sawn or dressed four sides (D4S) material sorted by width and length for any application.

## DOOR MACHINING

Brenlo has specialized machinery at our Racine location so we can pre-machine any doors ordered from Brenlo for hinges and door hardware. By machining them simultaneously with the door jamb material, matched sets of ready to install jambs and doors can be delivered together. Your installers will save time and have consistent fit and installation of every door. Please inquire about our low cost flat rate service per door.



Our 80,000 square foot manufacturing facility stocks the most comprehensive lumber inventory in the industry, with close to 2 million board feet!

# ORDERING INFORMATION

## DELIVERY CHARGE

Brenlo will apply a \$45.00 flat rate charge for each on-site load delivery within the GTA. Charges may apply for deliveries outside of Brenlo delivery boundaries. Please call the order desk to inquire.

## DELIVERY ACCESS

Safety is very important at Brenlo. The customer is responsible for ensuring that there is adequate space available at the jobsite to receive the delivered products and that access to the area where the products are to be delivered is safe and free of obstacles (including, but not limited to, overhead wires, scaffolding, unlevel or muddy conditions and snow covered pathways). In the event that the Brenlo driver determines that access to the jobsite is unsafe, Brenlo reserves the right to defer delivery of the products ordered. Deliveries not accepted on-site following confirmation will be subject to a flat rate charge of \$150.

## PAYMENT AND CREDIT

For all non-trade account orders, a non-refundable deposit is required to process the order. For prepaid and COD orders, Brenlo accepts company cheques, Visa, and Master card. To set up a trade account, a credit application must be submitted to our credit department for approval. All orders for in stock and custom items shall be C.O.D. until credit is approved.

**NOTE:** ALL PRODUCTS SOLD BY BRENLO LTD CUSTOM WOOD MOULDINGS WILL REMAIN THE PROPERTY OF BRENLO LTD. CUSTOM WOOD MOULDINGS UNTIL PAID IN FULL.

## WARRANTY AND RETURNS

Unusable, defective\*\*, or damaged material to be returned, replaced or credited must be identified and reported to Brenlo Ltd Custom Wood Mouldings within 48 hours of delivery. Brenlo is not responsible for any damage caused after delivery on the job site caused by handling, improper storage, and installation or finishing by the customer.

With prior approval from Brenlo and a product return authorization, Brenlo accepts and will credit any excess returned standard stock product or material that is undamaged and in full resalable condition. Returns of any non-door-related material less than 6' in length will not be eligible for credit. We charge a restocking fee of up to 20% to cover the pick-up and handling that is required.

## **LENGTH OF MOULDINGS**

Unless otherwise agreed, Brenlo provides most moulding products in random lengths ranging from three to sixteen feet. We make our best efforts to ship the longest lengths available; however, we reserve the right to fulfill our customers' orders with any combination of standard builder lengths which meet the total order quantity for each item.

Any order for exact specified lengths will require additional processing time based on lumber availability, the need for custom milling and sorting and is subject to additional charges.

## **ACCURACY OF INFORMATION**

Brenlo has made every effort to ensure the accuracy and completeness of the information contained in this catalogue, however, we are not responsible for any resulting costs or issues that may arise based on the specifications or any error or omission of detail in the catalogue. Product specifications are subject to change without notice.

## **INSTALLATION**

For customers in need of assistance in installing their Brenlo mouldings, doors and other products, we would be pleased to refer you to one or more members of our family of recommended finishing contractors.

**\*\*Natural characteristics of wood including colour and grain are not considered defects. Stock profile samples are available upon request.**

[illegible]

## NOTES

[illegible]