

For over 30 years, Brenlo Custom Wood Mouldings & Doors has been the wood moulding supplier of choice among Luxury Custom Home Builders, Architects, and Designers. We have built a reputation in the industry for being passionate about quality.

This superior quality begins in our grinding room with our hand-cut knives made from top-quality carbide steel. Our knives are then moved to our state-of-the-art moulders where our operators only use kilned dried FAS lumber at a rate of 22 knife cuts per inch. The combination of expertly cut knives, quality rough lumber, and cuts per inch results in a smooth finish, free from chatter marks. After a strict defecting program at the end of the milling process, all material is transferred to our distribution facility, where quantities are confirmed, and additional quality checks are completed. Our end result is a wood moulding that has 99% usage and requires minimal preparation for painting or staining.

With just under 200,000 SQ.FT. of distribution and manufacturing space, Brenlo keeps an expansive in-stock inventory of trim, doors, and plywood to provide customers with the solution needed to complete a project "Right and On Time." Should our stock options not meet the requirements, our in-house CAD team can create and design any trim or door style required. Brenlo currently holds over 10,000 custom profiles for customers and ensures that custom orders are maintained in our library. Therefore, if the product is needed again, it is as simple as referencing the job name. Our advancements in manufacturing allow us to turn custom trim requirements around in 2 weeks and custom doors in 4-5 weeks.

At Brenlo, our company philosophy has always been "The easiest to do business with." This statement resonates with every employee, and we look forward to providing you with the best quality product supported by exceptional customer service.

A handwritten signature in black ink, appearing to read "Fraser Adams". The signature is fluid and cursive, with a long horizontal stroke at the end.

Fraser Adams
President at Brenlo

INDEX

Stock Profile List by Page	4 - 11
Conversion Chart	125
Dressed Four Sides (D4S)	12
Jambs	12

MOULDING PROFILES

Casings	13
One-Piece Quick Install Casing	18
Backbands	20
Casing & Backband Combinations	25
Baseboards	29
Plinth Blocks	39
Two-Piece Plinth Blocks	41
Door Stops / Base Shoe	42
Moulding Combinations	44
Window Stools	62
Bolections & Aprons	63
Window Stool & Apron Combinations	65
Crown Moulds	66
Cove Moulds	71
Cap Moulds	71
Ceiling & Beam Combinations	72
Panel Moulds Inset	73
Panel Moulds Raised	77
Base Caps	78
Bed Moulds & Quarter Rounds	79
Astragals, Battens, Fascias, Window Mullions	79
Shingle Moulds	80
Chair Rail	81
Glass Beads, Shelf Edges, & Corner Guards	82

DOORS, HARDWARE, SHEET GOODS, ETC.

MDF Beadboard	83
Tongue & Groove Panelling	84
Inspire Series	86
Panelling Details	88
Specialty Items	90

MDF & Finger Joint Profiles 93

Doors 94

Silver Series 95

Stock Shaker..... 97

Stock Slab 99

Stock Carrara 100

Classic Non-stock 101

Transitional Non-stock..... 105

Modern Non-stock 109

French Non-stock 115

Door Hardware 117

Plywood 118

Sheet Goods 120

Decking 121

FROGBOARD[™]..... 122

Exterior Trim Board 124

Novawood 125

Brenlo Custom Shop 128

Wood Species 130

Environmental Commitment 131

Services We Offer 132

Ordering Information 133



HEAD OFFICE

T 416.749.6857 F 416.749.8969 T/F 877.816.6607

Showroom Hours: Monday - Friday 7:30am to 4:30pm

www.brenlo.com

STOCK PROFILE LISTING BY PAGE

CASING		Page
1	3/4" x 2-3/4"	13
1A	3/4" x 3-1/2"	13
4	7/8" x 3"	13
7	3/4" x 3-1/2"	13
7A	3/4" x 2-3/4"	13
11	3/4" x 3-1/2"	13
19	3/4" x 4-1/4"	13
20	3/4" x 2-3/4"	14
20B	3/4" x 3-1/2"	14
22	3/4" x 3-1/2"	14
23	3/4" x 3-1/16"	14
25A	3/4" x 3-1/2"	14
25S	3/4" x 2-1/2"	14
101	3/4" x 3-1/2"	15
102	3/4" x 3-1/2"	15
103	3/4" x 3-1/2"	15
106	3/4" x 3-1/2"	15
106A	3/4" x 2-3/4"	15
106GR	3/4" x 3-1/2"	15
413	3/4" x 3-1/2"	16
414	1" x 3-1/2"	16
415	3/4" x 3-1/2"	16
416	5/8" x 3"	16
420	3/4" x 2-1/2"	16
700	7/8" x 3-1/2"	17
700B	7/8" x 3"	17
800	7/8" x 3-1/2"	17
810	3/4" x 3-1/2"	17
888	3/4" x 2-3/4"	17
2000	11/16" x 3-1/8"	17
2005	5/8" x 2-5/8"	18
2010	1" x 4-1/2"	18
2015	3/4" x 3-1/2"	18
2100	1-5/16" x 4-1/2"	18
2108	1-5/16" x 4-1/2"	18
ONE-PIECE QUICK INSTALL		Page
106S	1-1/16" x 4-1/32"	19
400S	1-1/16" x 4"	19
500	1-1/8" x 3"	19
600	1-1/8" x 3"	19
BACKBAND		Page
30	1-5/8" x 1-5/8"	20
32A	1-1/4" x 2-1/32"	20
33	1-3/4" x 1-7/8"	20
33A	1-11/16" x 1-5/8"	20
34	13/16" x 1-3/8"	21
34ext	13/16" x 1-1/2"	21
35	7/8" x 1-5/8"	21
35ext	7/8" x 1-3/4"	21

STOCK PROFILE LISTING BY PAGE

36	1-3/32" x 1-9/16"	21
37	3/4" x 1-5/16"	21
38	13/16" x 1-3/8"	22
39	7/8" x 1-1/2"	22
40	13/16" x 1-1/4"	22
701	1-1/8" x 1-1/2"	22
703	1-3/4" x 1-1/2"	23
704	7/8" x 1-5/16"	23
713	13/16" x 1-1/4"	23
2001	1-13/16" x 2-3/4"	23
2006	1-5/16" x 2-1/4"	24
2011	1-5/16" x 2-1/8"	24
2016	1-3/4" x 1-1/2"	24

BASEBOARD

Page

25B	3/4" x 5-1/2"	29
25C	3/4" x 7-1/4"	29
42	3/4" x 4-1/2"	29
42A	3/4" x 6-1/2"	29
42B	3/4" x 5-1/2"	29
42C	3/4" x 7-1/4"	29
53	3/4" x 5-1/2"	29
302C	3/4" x 7-1/4"	30
306	3/4" x 7-1/4"	30
307	3/4" x 5-1/2"	30
307C	3/4" x 7-1/4"	30
307E	3/4" x 9-1/4"	30
307GR	3/4" x 7-1/4"	31
308	3/4" x 8-1/2"	31
309	3/4" x 8-1/2"	31
310	13/16" x 8-1/2"	32
311	3/4" x 7-1/4"	32
311A	3/4" x 5-1/2"	32
313	3/4" x 7-1/4"	33
314	3/4" x 5-1/2"	33
315	3/4" x 7-1/4"	33
316	5/8" x 5"	34
320	3/4" x 4-1/2"	34
320C	3/4" x 7-1/4"	34
349	3/4" x 5-1/2"	35
349A	3/4" x 4-7/8"	35
349B	3/4" x 7-1/4"	35
352	3/4" x 6-1/2"	36
352B	3/4" x 7-1/4"	36
353B	3/4" x 7-1/4"	35
354	3/4" x 7-1/4"	35
358	3/4" x 5-1/2"	36
820	3/4" x 7-1/4"	36
900	7/8" x 5-1/2"	37
900C	7/8" x 7-1/4"	37

STOCK PROFILE LISTING BY PAGE

900D	7/8" x 8-1/2"	37
910	13/16" x 9-1/4"	37
2051C	7/8" x 7-1/4"	38
2051D	7/8" x 8-1/2"	38
2053D	1" x 8-1/2"	38
2140	3/4" x 8-1/2"	37
2148	13/16" x 9-1/4"	38

PLINTH BLOCK **Page**

337-4.5	1-3/8" x 4-1/2" x 20"	92
337-375	1-3/8" x 3-3/4" x 20"	92
338	1-3/4" x 4-3/8"	39
735	1-15/16" x 4-7/16"	39
736	1-9/16" x 4-13/32"	39
2002	2-1/4" x 5-1/2"	39
2007	1-11/16" x 4-5/8"	39
2012	2-3/8" x 5-5/8"	41
2013	1-9/16" x 4-3/8"	40
2017	2" x 4-7/8"	41
2030	1-3/4" x 4-3/8"	40
2030B	1-3/4" x 5-1/8"	40
2130	1-1/2" x 4-7/8"	40

CORNER BLOCK **Page**

65	7/8" x 3" x 3"	91
68	1-5/16" x 3" x 3"	91

CROWN **Page**

70	3/4" x 5-1/4"	66
70B	3/4" x 7"	66
70C	7/8" x 8-1/2"	66
71	3/4" x 4-1/4"	66
72	3/4" x 3-1/2"	66
72B	3/4" x 4-1/4"	66
72C	3/4" x 5-1/4"	66
73	3/4" x 6-1/4"	67
523	3/4" x 2-3/8"	68
535	3/4" x 3-1/2"	68
552	13/16" x 5-3/16"	68
573	1-1/4" x 5-1/2"	69
577	1-5/16" x 6-7/8"	69
578	1" x 4-3/4"	69
2150	7/8" x 6-1/2"	70
2156	7/8" x 6-1/2"	70

STOCK PROFILE LISTING BY PAGE

BOLECTION		Page
82	1 3/4" x 4"	63
663	1-5/8" x 5-1/2"	64

APRON		Page
81	1-5/16" x 3-1/4"	63
85	1-5/16" x 3-1/4"	63
88	1-1/4" x 3-1/4"	63
89	1-5/16" x 3-1/4"	63

ARCHITRAVE		Page
331	1-1/4" x 2-11/16"	91
332	1-3/4" x 2-3/4"	90
L1	1-3/4" x 4-3/4"	90

COVE		Page
90	1/2" x 1/2"	71
91	3/4" x 3/4"	71
92	1" x 1"	71
93	1-1/4" x 1-1/4"	71
94	3/4" x 3-1/2"	71
94B	1" x 4-15/16"	71
95	5/8" x 5/8"	71

CAP MOULDS		Page
97	9/16" x 1-1/8"	71
98	13/16" x 1-3/4"	71

DOOR STOPS		Page
108	7/16" x 1-5/8"	42
109	7/16" x 1-1/2"	42
110	3/8" x 1-3/8"	42
111	7/16" x 1-3/4"	42
112	3/8" x 1-1/2"	42
112A	3/8" x 1-3/4"	42
113	7/16" x 1-3/4"	42
114	3/8" x 1-1/2"	42
116	7/16" x 1-3/4"	42
117	1/2" x 2-1/2"	43

PANEL MOULDS & BASE CAPS		Page
118	7/16" x 3/4"	73
119	1/2" x 1-1/16"	73
121	11/16" x 1-3/8"	78
122	5/8" x 1-9/16"	73
122A	7/16" x 1-1/8"	73
122B	3/4" x 2-3/16"	73
123	9/16" x 1-3/4"	78
124	3/4" x 2-1/4"	73
125	1-1/16" x 1-1/2"	78
126	1/2" x 1-5/8"	74
129	3/8" x 1"	74

STOCK PROFILE LISTING BY PAGE

130	1" x 1-1/4"	77
130S	7/8" x 1"	77
131	5/8" x 1"	77
132	1-1/4" x 1-5/8"	77
133	13/16" x 1-3/8"	77
134	3/8" x 11/16"	74
327	1/2" x 1-3/4"	74
328	7/16" x 1-5/16"	74
329	3/8" x 1-1/8"	91
330	5/8" x 2"	91
333	1/2" x 1-1/4"	76
334	7/16" x 1-1/4"	76
335	7/16" x 1-1/4"	76
336	7/16" x 1-1/4"	76
607	7/16" x 7/8"	74
608	7/16" x 11/16"	74
609	7/16" x 1-1/4"	75
610TL	7/16" x 3/8"	75
611TL	7/16" x 3/8"	75
612TL	7/16" x 3/8"	75
613TL	7/16" x 3/8"	75
620	1/2" x 1-1/4"	75
632	7/8" x 1-1/2"	77

PANEL MOULDS & BASE CAPS Page

645	11/16" x 2-1/2"	75
648	3/4" x 2-1/4"	76
649	3/4" x 1-3/4"	76
651	7/8" x 3"	77
652	7/8" x 3"	77
666	1/2" x 7/8"	76
670	13/16" x 1-1/2"	78
671	1-1/8" x 2"	78

BED MOULD Page

135	5/8" x 2-3/4"	79
136	5/8" x 2-1/4"	79
138	5/8" x 1-5/8"	79

QUATER ROUND Page

141	1" x 1"	79
142	3/4" x 3/4"	79
143	5/8" x 5/8"	79
144	1/2" x 1/2"	79

TONGUE & GROOVE Page

145	3/8" x 3-1/8"	84
145S	3/8" x 3-1/8"	84
146	3/4" x 3-1/2"	84
146A	3/4" x 4-3/4"	84
146B	3/4" x 5-1/2"	84
147B	3/4" x 5-1/2" (1/8" gap)	85
147C	3/4" x 7-1/4" (1/8" gap)	85
148B	3/4" x 5-1/2" (1/2" gap)	85
148C	3/4" x 7-1/4" (1/2" gap)	85

STOCK PROFILE LISTING BY PAGE

INSPIRE SERIES		Page
INSP 01	1/2" x 5"	86
INSP 02	1/2" x 5-7/16"	86
INSP 03	3/4" x 6-1/4"	86
INSP 04	3/4" x 7-1/8"	86
INSP 05	3/4" x 8-1/8"	86
INSP 06	3/4" x 8-9/16"	87
INSP 07	3/4" x 8-1/4"	87
INSP 08	3/4" x 7-7/8"	87
INSP 09	3/4" x 8-1/4"	87

BATTEN		Page
150	9/16" x 2-1/4"	79
151	3/4" x 1-5/8"	79

SHINGLE MOULD		Page
152	1-7/32" x 1-11/16"	80
153	1-5/16" x 2-3/8"	80
154	1-1/4" x 1-3/4"	80
157	3/4" x 1-1/4"	81
158	3/4" x 1-3/4"	81

MULLION		Page
162	3/8" x 1-5/8"	80
164-1-1/8	3/8" x 1-1/8"	80
164-1-3/8	3/8" x 1-3/8"	80
165	1/2" x 1-1/2"	80
166	3/8" x 1-1/4"	80

BAR RAIL		Page
179	1-3/4" x 5-1/4"	90

CHAIR RAIL		Page
181	1" x 3-5/8"	81
186	3/4" x 3"	81
187	5/8" x 2-1/2"	81
189	1" x 2-1/2"	81
189A	1-5/16" x 2-1/2"	82
2180	7/8" x 3-1/8"	82
2188	13/16" x 3-1/8"	82

GLASS BEAD		Page
190	1/2" x 9/16"	82
191	3/8" x 3/8"	82

SHELF EDGE		Page
195	3/8" x 3/4"	82
197	1/4" x 3/4"	82

CORNER GUARD		Page
200	1-5/16" x 1-5/16"	83
201	1-1/8" x 1-1/8"	83

STOCK PROFILE LISTING BY PAGE

HALF ROUND		Page
205	3/4" x 1-1/2"	91
205A	1" x 2"	91
205B	1-1/4" x 2-1/2"	91
205C	1-1/2" x 3"	91
205D	1-3/4" x 3-1/2"	91
206	1/2" x 1"	91
207	3/8" x 3/4"	91
BASE SHOE		Page
208	1/2" x 3/4"	43
209	1/2" x 7/8"	43
210	1/2" x 3/4"	43
216	1/2" x 1-5/8"	43
ASTRAGAL		Page
211	3/4" x 1-3/4"	80
212	3/4" x 1-3/8"	80
213	7/16" x 3/4"	80
STOOL		Page
226	1-5/16" x 2-3/4"	62
227	1-5/16" x 2-3/4"	62
228	1-1/16" x 2-1/4"	62
229	1-1/16" x 3-1/4"	62
230	1-1/16" x 4-1/4"	62
231	1-1/16" x 5-1/4"	62
232	1-1/16" x 7-3/4"	62
233	1-5/8" x 2-3/4"	62
234	1-5/16" x 2-3/8"	62
MK	1-3/4" x 3-1/2"	62
PICTURE		Page
225	11/16" x 1-3/4"	90
HANDRAIL		Page
903	1-5/8" x 2-3/4"	92
904	1-5/8" x 2-3/4"	92
930	1/4" x 1-5/16"	92
D4S		Page
D412X2	1/2" x 1-1/2"	12
D412X3	1/2" x 2-1/2"	12
D412X4	1/2" x 3-1/2"	12
D412X6	1/2" x 5-1/2"	12
D4x1	3/4" x 3/4"	12
D41x2	3/4" x 1-1/2"	12
D41x3	3/4" x 2-1/2"	12
D41x4	3/4" x 3-1/2"	12

STOCK PROFILE LISTING BY PAGE

D41x5	3/4" x 4-1/2"	12
D41x6	3/4" x 5-1/2"	12
D41x8	3/4" x 7-1/4"	12
D41x10	3/4" x 9-1/4"	12
D41x12	3/4" x 11-1/4"	12
D4125x4	1-1/4" x 3-1/2"	12
D4125x6	1-1/4" x 5-1/2"	12
D4125x8	1-1/4" x 7-1/4"	12
D42x2	1-1/2" x 1-1/2"	12
D42x4	1-1/2" x 3-1/2"	12
D42x6	1-1/2" x 5-1/2"	12
D42x8	1-1/2" x 7-1/4"	12
D42x10	1-1/2" x 9-1/4"	12
D42x12	1-1/2" x 11-1/4"	12

JAMBS **Page**

4.625	3/4" x 4-5/8"	12
4.875	3/4" x 4-7/8"	12
6.625	3/4" x 6-5/8"	12
6.875	3/4" x 6-7/8"	12
5.5Rab	1-1/2" x 5-1/2" rabbeted for 1-3/4" door	12

MDF PROFILES **Page**

DRESSED FOUR SIDES (D4S)

Brenlo is one of the largest suppliers of stock & custom D4S. We have an in-stock program of 1/2", 3/4", 1-1/4" & 1-1/2" thicknesses in a wide variety of widths and species.

DRESSED FOUR SIDES SQUARE STOCK:

1/2 x 2 1/2 x 3 1/2 x 4 1/2 x 6

(1/2" x 1-1/2") (1/2" x 2-1/2") (1/2" x 3-1/2") (1/2" x 5-1/2")

1/2"

1 x 2 1 x 3 1 x 4 1 x 6 1 x 8

(3/4" x 1-1/2") (3/4" x 2-1/2") (3/4" x 3-1/2") (3/4" x 5-1/2") (3/4" x 7-1/4")

1 x 10 1 x 12

(3/4" x 9-1/4") (3/4" x 11-1/4")

3/4"

5/4 x 4 5/4 x 6 5/4 x 8

(1-1/4" x 3-1/2") (1-1/4" x 5-1/2") (1-1/4" x 7-1/4")

1-1/4"

2 x 2 2 x 4 2 x 6 2 x 8

(1-1/2" x 1-1/2") (1-1/2" x 3-1/2") (1-1/2" x 5-1/2") (1-1/2" x 7-1/4")

2 x 10 2 x 12

(1-1/2" x 9-1/4") (1-1/2" x 11-1/4")

1-1/2"

STOCK AVAILABLE SPECIES

D4S		W/W	Oak	Pine	Maple	Mahog	Walnut	W.Oak	Rift W. Oak
D412X2	1/2" x 1-1/2"	•	•	•	•				
D412X3	1/2" x 2-1/2"	•							
D412X4	1/2" x 3-1/2"	•	•	•	•		•		
D412X6	1/2" x 5-1/2"	•	•	•	•		•		
D41x2	3/4" x 1-1/2"	•	•	•	•		•		•
D41x3	3/4" x 2-1/2"	•	•	•	•				
D41x4	3/4" x 3-1/2"	•	•	•	•		•	•	•
D41x5	3/4" x 4-1/2"	•		•					
D41x6	3/4" x 5-1/2"	•	•	•	•	•	•	•	•
D41x8	3/4" x 7-1/4"	•	•	•	•	•			
D41x10	3/4" x 9-1/4"	•	•	•					
D41x12	3/4" x 11-1/4"	•	•	•					
D4125x4	1-1/4" x 3-1/2"	•		•					
D4125x6	1-1/4" x 5-1/2"	•		•					
D4125x8	1-1/4" x 7-1/4"	•							
D42x2	1-1/2" x 1-1/2"	•		•	•				
D42x4	1-1/2" x 3-1/2"	•	•	•	•				
D42x6	1-1/2" x 5-1/2"	•	•	•					
D42x8	1-1/2" x 7-1/4"	•		•					
D42x10	1-1/2" x 9-1/4"	•		•					
D42x12	1-1/2" X 11-1/4"	•		•					

JAMBS		W/W	Oak	Pine	Maple	Mahog	Walnut
4.625	3/4" x 4-5/8"	•	•	•		•	
4.875	3/4" x 4-7/8"	•					
6.625	3/4" x 6-5/8"	•		•			
6.875	3/4" x 6-7/8"	•					
5.5Rab	1-1/2" x 5-1/2"	•					rabbeted for 1-3/4" door

EDGE BEVELLED WITH RELIEF GROOVES ONE SIDE

BEVELED JAMB STOCK:

3/4" x 4-5/8" For 2 x 4 & 1/2" Drywall

3/4" x 4-7/8" For 2 x 4 & 5/8" Drywall

3/4" x 6-5/8" For 2 x 6 & 1/2" Drywall

3/4" x 6-7/8" For 2 x 6 & 5/8" Drywall

SINGLE RABBETED


JAMBS:

1-1/2" X 5-1/2"

(Rabbet size 1/2" X 1-13/16")


For walls up to 5-1/2" wide.

CASINGS




1A - 3/4" (20mm) x 3-1/2" (89mm)
Corresponding Baseboard #42B or #42C
SPECIES: W/W OAK

1 - 3/4" (20mm) x 2-3/4" (70mm)
Corresponding Baseboard #42 or #42B
SPECIES: W/W MAPLE PINE



4 - 7/8" (22mm) x 3" (76mm)
Corresponding Baseboard #349 or #53
SPECIES: W/W



7 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #349 or #349B
SPECIES: W/W

7A - 3/4" (20 mm) x 2-3/4" (70mm)
Corresponding Baseboard #349 or #349A
SPECIES: W/W




11 - 3/4" (20mm) x 3 1/2" (89mm)
Corresponding Baseboard #311
SPECIES: W/W



19 - 3/4" (20 mm) x 4-1/4" (120mm)
Corresponding Baseboard #353B
SPECIES: W/W

CASINGS



20 - 3/4" (20 mm) x 2-3/4" (70mm)

Corresponding Baseboard #354

SPECIES: W/W PINE

20B - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #354


SPECIES: W/W



22 - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #53 or 1 x 8


SPECIES: W/W



23 - 3/4" (20 mm) x 3-1/16" (78mm)

Corresponding Baseboard #358


SPECIES: W/W



25A - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #25C

SPECIES: W/W OAK PINE WALNUT




25S - 3/4" (20 mm) x 2-1/2" (64mm)


Corresponding Baseboard #25B

SPECIES: W/W

CASINGS




101 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #306, #307, #307C
SPECIES: W/W



102 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #302C
SPECIES: W/W




103 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #306 or D4S 1 x 8
SPECIES: W/W




106 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #306, #307 or #307c
SPECIES: W/W OAK PINE
EZ BEND

106A - 3/4" (20 mm) x 2-3/4" (70mm)
Corresponding Baseboard #307
SPECIES: W/W




106GR - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #307GR
SPECIES: W/W

CASINGS




413 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard: #313
SPECIES: W/W




414 - 1" (25 mm) x 3-1/2" (89mm)
Corresponding Baseboard: #314
SPECIES: W/W



415 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard: #315
SPECIES: W/W




416 - 5/8" (16 mm) x 3" (76mm)
Corresponding Baseboard: #316
SPECIES: W/W




420 - 3/4" (20 mm) x 2-1/2" (64mm)
Corresponding Baseboard: #320
SPECIES: W/W

CASINGS




700 - 7/8" (22 mm) x 3-1/2" (89mm)
Corresponding Baseboard #900, #900C, #900D
SPECIES: W/W


700B - 7/8" (22 mm) x 3" (76mm)
SPECIES: W/W




800 - 7/8" (22 mm) x 3-1/2" (89mm)
Corresponding Baseboard #352B
SPECIES: W/W



810 - 3/4" (20 mm) x 3-1/2" (89mm)
Corresponding Baseboard #820
SPECIES: W/W




888 - 3/4" x 2-3/4" (70mm)
Corresponding Baseboard #42B or #349
SPECIES: W/W



2000 - 11/16" (18 mm) x 3-1/8" (79mm)
Corresponding Backband #2001
SPECIES: W/W


CASINGS



2005 - 5/8" (16 mm) x 2-5/8" (67mm)


Corresponding Backband #2006

SPECIES: W/W




2010 - 1" (25 mm) x 4-1/2" (114mm)

SPECIES: W/W




2015 - 3/4" (19 mm) x 3-1/2" (89mm)

SPECIES: W/W



2100 - 1-5/16" (33mm) x 4-1/2" (114mm)


SPECIES: W/W



2108 - 1-5/16" (33mm) x 4-1/2" (114mm)


SPECIES: W/W

ONE-PIECE QUICK INSTALL




106S - 1-1/16" (27mm) x 4-1/32" (103mm)

SPECIES:W/W



400S - 1-1/16" (27 mm) x 4" (103mm)


SPECIES:W/W



500 - 1-1/8" (29 mm) x 3" (76mm)

Corresponding Baseboard #42B

SPECIES:W/W




600 - 1-1/8" (29 mm) x 3" (76mm)


Corresponding Baseboard #25B

SPECIES:W/W


BACKBANDS




30 - 1-5/8" (41mm) x 1-5/8" (41mm)
Corresponding Casing #20
SPECIES: W/W WALNUT



32A - 1-1/4" (32mm) x 2-1/32" (52mm)
Corresponding Casing #1A
SPECIES: W/W




33 - 1-3/4" (44mm) x 1 7/8" (47mm) 3/4" (20mm) Rabbet
Corresponding Casing #102
SPECIES: W/W




33A - 1-11/16" (43mm) x 1-5/8" (41mm) 3/4" (20mm) Rabbet
Corresponding Casing #102
SPECIES: W/W

BACKBANDS




34 - 13/16" (21mm) x 1-3/8" (35mm)
SPECIES: W/W OAK PINE MAPLE WALNUT

34Ext. - 13/16" (21mm) x 1-1/2" (38mm) 7/8" (22mm) Rabbet
SPECIES: W/W




35 - 7/8" (22mm) x 1-5/8" (41mm)
SPECIES: W/W OAK

35Ext. - 7/8" (22mm) x 1-3/4" (44mm) 7/8" (22mm) Rabbet
SPECIES: W/W PINE
EZ BEND




36 - 1-3/32" (28mm) x 1-9/16" (40mm)
Corresponding Casing #7
SPECIES: W/W




37 - 3/4" (19mm) x 1-5/16" (33mm)
Corresponding Casing #106, #107
SPECIES: W/W OAK PINE MAPLE WALNUT
EZ BEND


BACKBANDS




38 - 13/16" (21mm) x 1-3/8" (35mm)
Corresponding Casing #101
SPECIES: W/W



39 - 7/8" (22mm) x 1-1/2" (38mm)
Corresponding Casing #25A
SPECIES: W/W




40 - 13/16" (21mm) x 1-1/4" (33mm)
Corresponding Casing #415
SPECIES: W/W




701 - 1-1/8" (29mm) x 1-1/2" (38mm)
Corresponding Casing #700
SPECIES: W/W

BACKBANDS




703 - 1-3/4" (44mm) x 1 1/2" (38mm) 3/4" (20mm) Rabbet
Corresponding Casing #106, #107

SPECIES: W/W



704 - 7/8" (22mm) x 1-5/16" (33mm)
Corresponding Casing #106, #101


SPECIES: W/W



713 - 13/16" (21mm) x 1-1/4" (33mm)
3/4" (20mm) Rabbet

Corresponding Casing #413


SPECIES: W/W



2001 - 1-13/16" (46mm) x 2-3/4" (70mm)
Corresponding Casing #2000

SPECIES: W/W


BACKBANDS



2006 - 1-5/16" (33mm) x 2-1/4" (57mm)

Corresponding Casing #2005


SPECIES: W/W



2011 - 1-5/16" (33mm) x 2-1/8" (54mm)

Corresponding Casing #2010

SPECIES: W/W




2016 - 1-3/4" (44mm) x 1-1/2" (38mm)

Corresponding Casing #2015

SPECIES: W/W

CASINGS / BACKBAND COMBINATIONS




33A - - 1-5/8" (41mm) x 1-11/16" (47mm) 3/4" (20mm) Rabbet

102 - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #302C

33A - SPECIES: W/W

102 - SPECIES: W/W




2016 - 1-3/4" (44mm) x 1-1/2" (38mm)

2015 - 3/4" (19 mm) x 3-1/2" (89mm)

Corresponding Baseboard #310

2016- SPECIES: W/W

2015 - SPECIES: W/W



35 - Ext. - 7/8" (22mm) x 1-3/4" (44mm) (22mm) Rabbet

700 - 7/8" (22 mm) x 3-1/2" (89mm)

Corresponding Baseboard #900, #900C, #900D


700B - 7/8" (22 mm) x 3" (76mm)

35-EXT - SPECIES: W/W OAK PINE MAHOGANY WALNUT
EZ BEND

700 - SPECIES: W/W OAK MAPLE MAHOGANY WALNUT

700B - SPECIES: W/W

CASINGS / BACKBAND COMBINATIONS




37 - 3/4" (19mm) x 1-5/16" (33mm) (20mm Rabbet)

106 - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #306, #307 or #307c

37 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT
EZ BEND

106 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT
EZ BEND




704 - 7/8" (22mm) x 1-5/16" (33mm) 3/4" (20mm) Rabbet

106GR - 3/4" (20mm) x 3-1/2" (89mm)

Corresponding Baseboard #307GR

704 - SPECIES: W/W

106GR - SPECIES: W/W



703 - 1-3/4" (44mm) x 1 1/2" (38mm) 3/4" (20mm) Rabbet


106 - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #307C, #307

703 - SPECIES: W/W

106 - SPECIES: W/W OAK PINE MAPLE MAHOGANY WALNUT

CASINGS / BACKBAND COMBINATIONS




30 - 1-5/8" (41mm) x 1-5/8" (41mm) (20mm Rabbet)

20 - 3/4" (20mm) x 2-3/4" (70mm)

Corresponding Baseboard #354

30 - SPECIES: W/W WALNUT

20 - SPECIES: W/W PINE




38 - 13/16" (21mm) x 1-3/8" (35mm)

101 - 3/4" (20 mm) x 3-1/2" (89mm)

Corresponding Baseboard #306, #307, #307C

38 - SPECIES: W/W

101 - SPECIES: W/W



701 - 1-1/8" (29mm) x 1-1/2" (38mm)

700 - 7/8" (22 mm) x 3-1/2" (89mm)

Corresponding Baseboard #900, #900C, #900D


700B - 7/8" (22 mm) x 3" (76mm)

701 - SPECIES: W/W

700 - SPECIES: W/W OAK MAPLE MAHOGANY WALNUT

700B - SPECIES: W/W

CASINGS / BACKBAND COMBINATIONS




2001 - 1-13/16" (46mm) x 2-3/4" (70mm)

2000 - 11/16" (18 mm) x 3-1/8" (79mm)

Corresponding Baseboard #2051D, #2051C

2001 - SPECIES: W/W

2000 - SPECIES: W/W




2011 - 1-5/16" (33mm) x 2-1/8" (54mm)

2010 - 1" (25 mm) x 4-1/2" (114mm)

Corresponding Baseboard #2053D

2011 SPECIES: W/W

2010 SPECIES: W/W



33A - 1-5/8" (41mm) x 1-11/16" (47mm) 3/4" (20mm) Rabbet


1A - 3/4" (20mm) x 3-1/2" (89mm)

Corresponding Baseboard #42B or #42C

33A- SPECIES: W/W

1A - SPECIES: W/W OAK WALNUT

BASEBOARDS




25C - 3/4" (19 mm) x 7-1/4" (184mm)

25B - 3/4" (19 mm) x 5-1/2" (140mm)

Corresponding Casing #25S or #25A

25C - SPECIES: W/W

25B - SPECIES: W/W



42C - 3/4" (19 mm) x 7-1/4" (184mm)

42A - 3/4" (19 mm) x 6-1/2" (165mm)

42B - 3/4" (19 mm) x 5-1/2" (140mm)

42 - 3/4" (19 mm) x 4-1/2" (114mm)


Corresponding Casing #1 or #1A

42C - SPECIES: W/W

42A - SPECIES: W/W

42B - SPECIES: W/W PINE

42 - SPECIES: W/W PINE




53 - 3/4" (19 mm) x 5-1/2" (140mm)


Corresponding Casing #4, #22 or #23

SPECIES: W/W


BASEBOARDS



302C - 3/4" (19 mm) x 7-1/4" (184mm)
Corresponding Casing #102
SPECIES: W/W




306 - 3/4" (19 mm) x 7-1/4" (184mm)
Corresponding Casing #101 &
Corresponding Backband#38
SPECIES: W/W PINE




307C - 3/4" (19 mm) x 7-1/4" (184mm)
307 - 3/4" (19 mm) x 5-1/2" (140mm)
307E - 3/4" (19mm) x 9-1/4" (235mm)
Corresponding Casing #106 or #106A

307C - SPECIES: W/W OAK
EZ BEND
307 - SPECIES: W/W MAPLE
307E - SPECIES: W/W


BASEBOARDS



307GR - 3/4" (20mm) x 7-1/4" (184mm)
Corresponding Casing #106GR
SPECIES: W/W




308 - 3/4" (19 mm) x 8-1/2" (216mm)
Corresponding Casing #102 and
Corresponding Backband #33
SPECIES: W/W



309 - 3/4" (19 mm) x 8-1/2" (216mm)
Corresponding Casing #2005
Corresponding Backband #2006
SPECIES: W/W


BASEBOARDS



310 - 13/16" (21mm) x 8-1/2" (216mm)
Corresponding Casing #2015 & Backband #2016
SPECIES: W/W




311 - 3/4" (20 mm) x 7-1/4" (184mm)
Corresponding Casing #11
SPECIES: W/W, EZ BEND




311A - 3/4" (20mm) x 5-1/2" (140mm)
Corresponding Casing #11
SPECIES: W/W


BASEBOARDS



313 - 3/4" (19mm) x 7-1/4" (184mm)
Corresponding Casing #413
SPECIES: W/W




314 - 3/4" (19mm) x 5-1/2" (140mm)
Corresponding Casing #414 & Backband #40
SPECIES: W/W



315 - 3/4" (19 mm) x 7-1/4" (184mm)
Corresponding Casing #415 Backband #40
SPECIES: W/W


BASEBOARDS



316 -5/8" (16mm) x 5" (127mm)

Corresponding Casing #416


SPECIES: W/W



320 -3/4" (19mm) x 4-1/2" (114mm)

Corresponding Casing #420

SPECIES: W/W




320C -3/4" (19mm) x 7-1/4" (184mm)

Corresponding Casing #420

SPECIES: W/W

BASEBOARDS



349B - 3/4" (19 mm) x 7-1/4" (184mm)

349 - 3/4" (19 mm) x 5-1/2" (140mm)


349A - 3/4" (19 mm) x 4 -7/8" (124mm)

Corresponding Casing #7A or #7

349A - SPECIES: W/W

349B - SPECIES: W/W


349 - SPECIES: W/W



353B - 3/4" (19 mm) x 7-1/4" (184mm)

Corresponding Casing #19

SPECIES: W/W




354 - 3/4" (19 mm) x 7-1/4" (184mm)

Corresponding Casing #20

Corresponding Backband #30

SPECIES: W/W

BASEBOARDS




352B - 3/4" (19 mm) x 7-1/4" (184mm)

352 - 3/4" (19 mm) x 6-1/2" (165mm)

Corresponding Casing #1A or #800

352 - SPECIES: W/W


352B - SPECIES: W/W



358 - 3/4" (19 mm) x 5-1/2" (140mm)

Corresponding Casing #23 and Backband #30

SPECIES: W/W



820 - 3/4" (19mm) x 7-1/4" (184mm)

Corresponding Casing #810

SPECIES: W/W

BASEBOARDS

900D - 7/8" (22 mm) x 8-1/2" (216mm)


900C - 7/8" (22 mm) x 7-1/4" (184mm)

900 - 7/8" (22 mm) x 5-1/2" (140mm)

Corresponding Casing #700 or #700B

900D/900C - SPECIES: W/W

900 - SPECIES: W/W



910 - 13/16" (21mm) x 9-1/4" (235mm)

Corresponding Casing #700 or #700B

SPECIES: W/W

2140 - 3/4" (19mm) x 8-1/2" (216mm)


Corresponding Casing #2100

SPECIES: W/W OAK


BASEBOARDS



2148 - 13/16" (21mm) x 9-1/4" (235mm)
Corresponding Casing #2108
SPECIES: W/W



2053D - 1" (25mm) x 8-1/2" (216mm)
Corresponding Casing #2010 or #2015
SPECIES: W/W



2051D - 7/8" (22 mm) x 8-1/2" (216mm)


2051C - 7/8" (22 mm) x 7-1/4" (184mm)

Corresponding Casing #2000, #2005


2051D - SPECIES: W/W

2051C - SPECIES: W/W


PLINTH BLOCKS




338 - 1-3/4" (44mm) x 4-3/8" (111mm)
Accommodates 3-1/2" Casing & Backband #34
SPECIES: W/W




735 - 1-15/16" (49mm) x 4-7/16" (113mm)
Accommodates 3-1/2" Casing & Backband #35
SPECIES: W/W



736 - 1-9/16" (40mm) x 4-13/32" (111mm)
SPECIES: W/W




2002 - 2-1/4" (57mm) x 5-1/2" (140mm)
Accommodates Casing #2000 & Backband #2001
SPECIES: W/W



2007 - 1-11/16" (43mm) x 4-5/8" (117mm)
Accommodates Casing #2005 & Backband #2006
SPECIES: W/W

PLINTH BLOCKS



2013 - 1-9/16" (43mm) x 4-3/8" (117mm)


Accommodations:

Option 1: Casing #101 & Backband #38

Option 2: Casing #102 & Backband #34

Option 3: Casing #106 & Backband #37


SPECIES: W



2030 - 1-3/4" (44mm) x 4-3/8" (111mm)

Accommodates 2-3/4" Casing & Backband #30


SPECIES: W/W



2030B - 1-3/4" (44mm) x 5-1/8" (130mm)

Accommodates 3-1/2" Casing & Backband #30

SPECIES: W/W




2130 - 1-1/2" (38mm) x 4-7/8" (124mm)

Accommodates Casing #2100

SPECIES: W/W

*Plinth Block runs in lineal foot lengths and are designed to be cut to length at job site.


TWO-PIECE PLINTH BLOCKS



2012 - 2-3/8" (60mm) x 5-5/8" (143mm)

Accommodates Casing #2010 & Backband #2011

SPECIES: W/W




2017 - 2" (51mm) x 4 -7/8" (124mm)


Accommodates Casing #2015 & Backband #2016

SPECIES: W/W


DOOR STOPS / BASE SHOES




108 - 7/16" (11mm) x 1-5/8" (41mm)
SPECIES: W/W OAK PINE
WALNUT EZ BEND




109 - 7/16" (11mm) x 1-1/2" (38mm)
SPECIES: W/W




110 - 3/8" (10mm) x 1-3/8" (35mm)
SPECIES: W/W OAK PINE MAPLE
EZBEND




111 - 7/16" (11mm) x 1-3/4" (44mm)
SPECIES: W/W




112 - 3/8" (10mm) x 1-1/2" (38mm)
SPECIES: W/W EZ BEND




112A - 3/8" (10mm) x 1-3/4" (44mm)
SPECIES: W/W EZ BEND



113 - 7/16" (11mm) x 1-3/4" (44mm)
SPECIES: W/W OAK
EZ BEND




114 - 3/8" (10mm) x 1-1/2" (38mm)
SPECIES: W/W




116 - 7/16" (11mm) x 1-3/4" (44mm)
SPECIES: W/W OAK EZ BEND

DOOR STOPS / BASE SHOES




117 - 1/2" (13mm) x 2-1/2" (64mm)
SPECIES: W/W PINE


BASE SHOES




208 - 1/2" (13mm) x 3/4" (19mm)
SPECIES: W/W OAK PINE



209 - 1/2" (13mm) x 7/8" (22mm)
SPECIES: W/W




210 - 1/2" (13mm) x 3/4" (19mm)
SPECIES: W/W




216 - 1/2" (13mm) x 1-5/8" (41mm)
SPECIES: W/W

MOULDING COMBINATIONS



MODERN 1
CASING: 106
BASEBOARD: 307C




MODERN 2
CASING: 106A
BASEBOARD: 307

MOULDING COMBINATIONS



MODERN 3
CASING: 106
BASEBOARD: 314



MODERN 4
CASING: 101
BASEBOARD: 306


MOULDING COMBINATIONS



MOULDING COMBINATIONS




MODERN 7
CASING: 413
BASEBOARD: 313



MODERN 8
CASING: 106GR
BASEBOARD: 307GR

MOULDING COMBINATIONS



MODERN 9
CASING: 415
BASEBOARD: 315




MODERN 10
CASING: 415
BACKBAND: 40
BASEBOARD: 315

MOULDING COMBINATIONS




MODERN 11
CASING: 414
BASEBOARD: 314



MODERN 12
CASING: 420
BASEBOARD: 320

MOULDING COMBINATIONS




TRANSITIONAL 1

CASING: 106

BACKBAND: 37

BASEBOARD: 307C

BASE SHOE: 108



TRANSITIONAL 2


CASING: 106

BACKBAND: 703

BASEBOARD: 307E

BASE SHOE: 108

MOULDING COMBINATIONS



TRANSITIONAL 3


CASING: 106
BACKBAND: 704
BASEBOARD: 307C
BASE SHOE: 335
PLINTH: 736



TRANSITIONAL 4


CASING: 2100
BASEBOARD: 2140
BASE SHOE: 109

MOULDING COMBINATIONS



TRANSITIONAL 5


CASING: 101
BACKBAND: 38
BASEBOARD: 307
BASE SHOE: 114



TRANSITIONAL 6


CASING: 102
BACKBAND: 34
BASEBOARD: 302C
BASE SHOE: 116

MOULDING COMBINATIONS



TRANSITIONAL 7

CASING: 4
BACKBAND: 34ext
BASEBOARD: 308
BASE SHOE: 116



TRANSITIONAL 8

CASING: 20B
BACKBAND: 39
BASEBOARD: 314
BASE SHOE: 157

MOULDING COMBINATIONS



TRANSITIONAL 9

CASING: 25A

BACKBAND: 34

BASEBOARD: 25C

BASE SHOE: 116



TRANSITIONAL 10


CASING: 23

BACKBAND: 39

BASEBOARD: 358


BASE SHOE: 110

MOULDING COMBINATIONS



TRANSITIONAL 11


CASING: 7
BACKBAND: 34
BASEBOARD: 349B
BASE SHOE: 116




TRANSITIONAL 12

CASING: 700
BACKBAND: 35ext
BASEBOARD: 900D
BASE SHOE: 116

MOULDING COMBINATIONS




CLASSIC 1
CASING: 1A
BACKBAND: 32A
BASEBOARD: 42C
BASE SHOE: 113




CLASSIC 2
CASING: 810
BACKBAND: 33A
BASEBOARD: 820
BASE SHOE: 111

MOULDING COMBINATIONS



CLASSIC 3


CASING: 800
BACKBAND: 35ext
BASEBOARD: 352B
BASE SHOE: 113
PLINTH: 735



CLASSIC 4

CASING: 1A
BACKBAND: 36
BASEBOARD: 42B
BASE SHOE: 110

MOULDING COMBINATIONS



CLASSIC 5


CASING: 20B

BACKBAND: 30

BASEBOARD: 910

BASE SHOE: 158

PLINTH: 2030B



CLASSIC 6


CASING: 20

BACKBAND: 30


BASEBOARD: 310

BASE SHOE: 111

MOULDING COMBINATIONS




CLASSIC 7
CASING: 102
BACKBAND: 33
BASEBOARD: 2051C
BASE SHOE: 116



CLASSIC 8
CASING: 22
BACKBAND: 30
BASEBOARD: 354
BASE SHOE: 116

MOULDING COMBINATIONS



CLASSIC 9


CASING: 2010

BACKBAND: 2011

BASEBOARD: 2148

BASE SHOE: 117

PLINTH: 2012



CLASSIC 10

CASING: 2015


BACKBAND: 2016

BASEBOARD: 2053D

BASE SHOE: 111


PLINTH: 2017

MOULDING COMBINATIONS



CLASSIC 11


CASING: 2000
BACKBAND: 2001
BASEBOARD: 309
BASE SHOE: 113
PLINTH: 2002



CLASSIC 12

CASING: 2000
BACKBAND: 2006
BASEBOARD: 2051C
BASE SHOE: 111
PLINTH: 2007

WINDOW STOOL



226 - 1-5/16" (33mm) x 2-3/4" (70mm)

SPECIES: W/W



227 - 1-5/16" (33mm) x 2-3/4" (70mm)

SPECIES: W/W WALNUT




232 - 1-1/16" x 7-3/4" SPECIES: W/W

231 - 1-1/16" x 5-1/4" SPECIES: W/W

230 - 1-1/16" x 4-1/4" SPECIES: W/W

229 - 1-1/16" x 3-1/4" SPECIES: W/W


228 - 1-1/16" x 2-1/4" SPECIES: W/W



233 - 1-5/8" (41mm) x 2-3/4" (70mm)

(SILL)


SPECIES: W/W



234 - 1-5/16" (33mm) x 2-3/8" (60mm)

(SILL)

SPECIES: W/W MAPLE MAHOGANY




3/4" (19mm)

3/4" (19mm)


MK - 1-3/4" (44mm) x 3-1/2" (89mm)

SPECIES: W/W


BOLECTIONS & APRONS




81 - 1-5/16" (33mm) x 3-1/4" (83mm)
SPECIES: W/W




82 - 1-3/4" (44mm) x 4" (102mm)
SPECIES: W/W



85 - 1-5/16" (33mm) x 3-1/4" (83mm)
SPECIES: W/W




88 - 1-1/4" (32mm) x 3-1/4" (83mm)
SPECIES: W/W



89 - 1-5/16" (33mm) x 3-1/4" (83mm)
SPECIES: W/W


BOLECTIONS & APRONS



663 - 1-5/8" (41mm) x 5-1/2" (140mm)
(CLASSIFIED AS A MANTEL)
SPECIES:W


WINDOW STOOL & APRON COMBINATIONS

STOOL
226




APRON 85

STOOL 229





CASING 7

STOOL MK



APRON 88


CROWN MOULDS




70C - 7/8" (19mm) x 8-1/2" (216mm)
(A = 6") (B = 6")
SPECIES: W/W PINE

70B - 3/4" (19mm) x 7" (178mm)
(A = 4-15/16") (B = 4-15/16")
SPECIES: W/W OAK PINE

70 - 3/4" (19mm) x 5-1/4" (133mm)
(A = 3-9/16") (B = 3-9/16")
SPECIES: W/W PINE MAPLE
MAHOGANY WALNUT



71 - 3/4" (44mm) x 4-1/4" (108mm)
(A = 2-15/16") (B = 2-15/16")
SPECIES: W/W PINE MAPLE





72C - 3/4" (19mm) x 5-1/4" (133mm)
(A = 3-11/16") (B = 3-11/16")
SPECIES: W/W OAK

72B - 3/4" (19mm) x 4-1/4" (108mm)
(A = 3") (B = 3")
SPECIES: W/W PINE
MAHOGANY



72 - 3/4" (19mm) x 3-1/2" (89mm)
(A = 2-1/2") (B = 2-1/2")
SPECIES: W/W PINE

CROWN MOULDS




73 - 3/4" (19mm) x 6-1/4"
(159mm)
(A = 4-5/8") (B = 4-1/4")
SPECIES: W/W


CROWN MOULDS



523 - 3/4" (19mm) x 2-3/8" (60mm)
(A = 1-11/16") (B = 1-21/32")
SPECIES: W/W MAPLE





535 - 3/4" (19mm) x 3-1/2" (89mm)
(A = 2-7/16") (B = 2-1/2")
SPECIES: W/W




552 - 13/16" (21mm) x 5-3/16" (132mm)
(A = 3-1/2") (B = 3-13/16")
SPECIES: W/W


CROWN MOULDS



573 - 1-1/4" (32mm) x 5-1/2" (140mm)
(A = 3-7/8") (B = 3-7/8")
SPECIES: W/W





577 - 1-5/16" (33mm) x 6-7/8" (175mm)
(A = 3-11/16") (B = 5-3/4")
SPECIES: W/W




578 - 1" (25mm) x 4-3/4" (121mm)
(A = 3-1/4") (B = 3-3/8")
SPECIES: W/W

CROWN MOULDS




2150 - 7/8" (22mm) x 6-1/2" (165mm)
(A = 4-1/2") (B = 4-3/4")
SPECIES: W/W




2156 - 7/8" (22mm) x 6-1/2" (165mm)
(A = 4-5/8") (B = 4-5/8")
SPECIES: W/W


COVE MOULDS




90 - 1/2" (13mm) x 1/2" (13mm)
SPECIES: W/W PINE MAPLE




91 - 3/4" (19mm) x 3/4" (19mm)
SPECIES: W/W OAK PINE
MAPLE EZ BEND




92 - 1" (25mm) x 1" (25mm)
SPECIES: W/W PINE



93 - 1-1/4" (32mm) x 1-1/4" (32mm)
SPECIES: W/W PINE MAPLE




95 - 5/8" (16mm) x 5/8" (16mm)
SPECIES: W/W




94B - 1" (25mm) x 4-15/16" (126mm)
(A = 3-1/2") (B = 3-1/2")
SPECIES: W/W

94 - 3/4" (19mm) x 3-1/2" (89mm)
(A = 2-1/2") (B = 2-1/2")
SPECIES: W/W OAK PINE MAPLE

CAP MOULDS







97 - 9/16" (14mm) x 1-1/8" (29mm)
SPECIES: W/W




98 - 13/16" (21mm) x 1-3/4" (44mm)
SPECIES: W/W

CEILING & BEAM COMBINATIONS




PANEL MOULDS - INSET




118 - 7/16" (11mm) x 3/4" (19mm)

SPECIES: W/W OAK PINE
WALNUT EZ BEND




119 - 1/2" (13mm) x 1-1/16" (27mm)

SPECIES: W/W OAK PINE
WALNUT EZ BEND




122 - 5/8" (16mm) x 1-9/16" (40mm)

SPECIES: W/W




122A - 7/16" (11mm) x 1-1/8" (29mm)

SPECIES: W/W PINE MAPLE



122B - 3/4" (19mm) x 2-3/16" (56mm)


SPECIES: W/W




124 - 3/4" (19mm) x 2-1/4" (57mm)

SPECIES: W/W


PANEL MOULDS - INSET




126 - 1/2" (13mm) x 1-5/8" (41mm)
SPECIES: W/W




129 - 3/8" (10mm) x 1" (25mm)
SPECIES: W/W




134 - 3/8" (10mm) x 11/16" (17mm)
SPECIES: W/W MAPLE



327 - 1/2" (13mm) x 1-3/4" (44mm)
SPECIES: W/W



328 - 7/16" (11mm) x 1-5/16" (33mm)
SPECIES: W/W MAPLE WALNUT




607 - 7/16" (11mm) x 7/8" (22mm)
SPECIES: W/W




608 - 7/16" (11mm) x 11/16" (17mm)
SPECIES: W/W MAHOGANY

PANEL MOULDS - INSET



609 - 7/16" (11mm) x 1-1/4" (32mm)
SPECIES: W/W




610TL - 7/16" (11mm) x 3/8" (10mm)
SPECIES: W/W




611TL - 7/16" (11mm) x 3/8" (10mm)
SPECIES: W/W




612TL - 7/16" (11mm) x 3/8" (10mm)
SPECIES: W/W



613TL - 7/16" (11mm) x 3/8" (10mm)
SPECIES: W/W




620 - 1/2" (13mm) x 1-1/4" (32mm)
SPECIES: W/W




645 - 11/16" (17mm) x 2-1/2" (64mm)
SPECIES: W/W


PANEL MOULDS - INSET




648 - 3/4" (19mm) x 2-1/4" (57mm)
SPECIES: W/W




649 - 3/4" (19mm) x 1-3/4" (44mm)
SPECIES: W/W




666 - 1/2" (13mm) x 7/8" (22mm)
SPECIES: W/W OAK




333 - 1/2" (13mm) x 1-1/4" (32mm)
SPECIES: W/W



334 - 7/16" (11mm) x 1-1/4" (32mm)
SPECIES: W/W




335 - 7/16" (11mm) x 1-1/4" (32mm)
SPECIES: W/W




336 - 7/16" (11mm) x 1-1/4" (32mm)
SPECIES: W/W


PANEL MOULDS - RAISED




130 - 1" (25mm) x 1-1/4" (32mm)
SPECIES: W/W OAK PINE




130S - 7/8" (22mm) x 1" (25mm)
SPECIES: W/W OAK




131 - 5/8" (16mm) x 1" (25mm)
SPECIES: W/W
MAHOGANY WALNUT




132 - 1-1/4" (32mm) x 1-5/8" (41mm)
SPECIES: W/W PINE MAPLE




133 - 13/16" (21mm) x 1-3/8" (35mm)
SPECIES: W/W PINE
MAHOGANY WALNUT
EZ BEND



632 - 7/8" (22mm) x 1-1/2" (38mm)
SPECIES: W/W




651 - 7/8" (22mm)" x 3" (76mm)
SPECIES: W/W




652 - 7/8" (22mm) x 3" (76mm)
SPECIES: W/W

PANEL MOULDS - RAISED




670 - 13/16" (21mm) x 1-1/2" (38mm)
SPECIES: W/W




671 - 1-1/8" (29mm) x 2" (51mm)
SPECIES: W/W


BASE CAPS



121 - 11/16" (17mm) x 1-3/8" (35mm)
SPECIES: W/W PINE





123 - 9/16" (14mm) x 1-3/4" (44mm)
SPECIES: W/W




125 - 1-1/16" (27mm) x 1-1/2" (38mm)
SPECIES: W/W OAK PINE MAPLE


BED MOULDS & QUARTER ROUNDS




135 - 5/8" (16mm) x 2-3/4"
(A = 1-7/8") (B = 2")
SPECIES: W/W PINE




136 - 5/8" (16mm) x 2-1/4" (57mm)
(A = 1-7/16") (B = 1-3/4")
SPECIES: W/W PINE




138 - 5/8" (16mm) x 1-5/8" (41mm)
(A = 1-1/8") (B = 1-3/16")
SPECIES: W/W PINE




141 - 1" (25mm) x 1" (25mm)
SPECIES: W/W



142 - 3/4" (19mm) x 3/4" (19mm)
SPECIES: W/W OAK PINE




143 - 5/8" (16mm) x 5/8" (16mm)
SPECIES: W/W




144 - 1/2" (13mm) x 1/2" (13mm)
SPECIES: W/W

ASTRAGALS, BATTENS, FASCIAS, WINDOW MULLIONS




150 - 9/16" (14mm) x 2-1/4" (57mm)
SPECIES: W/W




151 - 3/4" (19mm) x 1-5/8" (41mm)
SPECIES: W/W


ASTRAGALS, BATTENS, FASCIAS, WINDOW MULLIONS



162 - 3/8" (10mm) x 1.5/8" (16mm)
SPECIES: W/W




215 - 1-1/4" (32mm) x 2-7/16" (62mm)
SPECIES: W/W PINE




164 - 3/8" (10mm) x 1-3/8" (35mm) SPECIES: W/W
3/8" (10mm) x 1-1/8" (29mm) SPECIES: W/W

165 - 1/2" (13mm) x 1-1/2" (38mm) SPECIES: W/W



166 - 3/8" (10mm) x 1-1/4" (32mm)
SPECIES: W/W




211 - 3/4" (19mm) x 1-3/4" (44mm)
SPECIES: W/W


212 - 3/4" (19mm) x 1-3/8" (35mm)
SPECIES: W/W PINE MAHOGANY

213 - 7/16" (11mm) x 3/4" (19mm)
SPECIES: W/W MAPLE MAHOGANY
WALNUT


SHINGLE MOULDS/BRICK MOULD



152 - 1-7/32" (31mm) x 1-11/16" (42mm)
SPECIES: W/W PINE MAPLE




154 - BRICK MOULD
1-1/4" (32mm) x 1-3/4" (44mm)
SPECIES: PINE




153 - 1-5/16" (33mm) x 2-3/8" (60mm)
SPECIES: W/W OAK PINE

SHINGLE MOULD




157 - 3/4" (19mm) x 1-1/4" (32mm)
SPECIES: W/W PINE
MAHOGANY EZ BEND




158 - 3/4" (19mm) x 1-3/4" (44mm)
SPECIES: W/W PINE
CHERRY WALNUT EZ BEND


CHAIR RAILS




181 - 1" (25mm) x 3-5/8" (92mm)
SPECIES: W/W



186 - 3/4" (19mm) x 3" (76mm)
SPECIES: W/W




187 - 5/8" (16mm) x 2-1/2" (64mm)
SPECIES: W/W




189 - 1" (25mm) x 2-1/2" (64mm)
SPECIES: W/W
WALNUT


CHAIR RAILS



189A - 1-5/16" (33mm) x 2-1/2" (64mm)
SPECIES: W/W



2180 - 7/8" (22mm) x 3-1/8" (79mm)
SPECIES: W/W



2188 - 13/16" (21mm) x 3-1/8" (79mm)
SPECIES: W


GLASS BEADS, SHELF EDGES & CORNER GUARDS




190 - 1/2" (13mm) x 9/16" (14mm)
SPECIES: W/W OAK



191 - 3/8" (10mm) x 3/8" (10mm)
SPECIES: W/W PINE MAPLE
MAHOGANY




195 - 3/8" (10mm) x 3/4" (19mm)
SPECIES: W/W




197 - 1/4" (6mm) x 3/4" (19mm)
SPECIES: W/W

GLASS BEADS, SHELF EDGES & CORNER GUARDS



200 - 1-5/16" (33mm) x 1-5/16" (33mm)
SPECIES: W/W



201 - 1-1/8" (29mm) x 1-1/8" (29mm)
SPECIES: W/W

MDF BEADBOARD


Brenlo is pleased to offer the following stock paneling products for your convenience.



1) Classic "w" bead 3/8" (10mm) x 4' x 8'
MDF Sheets Bead is 1-1/2" (38mm) on
centre.




2) Standard beadboard 1/2" (13mm) x 4' x
8' MDF Sheets
Bead is 2" (51mm) on centre.



3) Antique "V" Groove 1/2" (13mm) x 4' x 8'
MDF Sheets
V Groove is 3" (76mm) on centre.

**Custom bead and v-groove
sheets available upon request.**

TONGUE & GROOVE PANELING



145 - 3/8" (10mm) x 3-1/8" (79mm)
REVERSIBLE - 4.17 LF = 1 sq. ft. coverage
SPECIES: W/W PINE



145S - 3/8" (10mm) x 3-1/8" (79mm)
4.17 LF = 1 sq. ft. coverage
SPECIES: W/W



146 - 3/4" (19mm) x 3-1/2" (89mm)
3.69 LF = 1 sq. ft. coverage
SPECIES: PINE



146A - 3/4" (19mm) x 4-3/4" (121mm)
2.67 LF = 1 sq. ft. coverage
SPECIES: W/W



146B - 3/4" (19mm) x 5-1/2" (140mm)
2.28 LF = 1 sq. ft. coverage
SPECIES: PINE

TONGUE & GROOVE PANELING

147B-W -3/4" (19mm) x 5-1/2" (140mm)


SPECIES: W/W

147B-P -3/4" (19mm) x 5-1/2" (140mm)

SPECIES: PINE

2.34 LF = 1 sq. ft. coverage

1/8" Gap



147C-W -3/4" (19mm) x 7-1/4" (184mm)


SPECIES: W/W

147C-P -3/4" (19mm) x 7-1/4" (184mm)

SPECIES: PINE

1.68 LF = 1 sq. ft. coverage

1/8" Gap



148B-W -3/4" (19mm) x 5-1/2" (140mm)


SPECIES: W/W

148B-P -3/4" (19mm) x 5-1/2" (140mm)

SPECIES: PINE

2.28 LF = 1 sq. ft. coverage

1/2" Gap



148C-W -3/4" (19mm) x 7-1/4" (184mm)


SPECIES: W/W

148C-P -3/4" (19mm) x 7-1/4" (184mm)


SPECIES: PINE

1.71 LF = 1 sq. ft. coverage

1/2" Gap



INSPIRE SERIES




INSP 01

1/2" (13mm) x 5" (127mm)

SPECIES: W/W

2.53 LF = 1 sq. ft. coverage




INSP 02

1/2" (13mm) x 5-7/16" (138mm)

SPECIES: W/W

2.31 LF = 1 sq. ft. coverage




INSP 03

3/4" (19mm) x 6-1/4" (159mm)

SPECIES: W/W

2 LF = 1 sq. ft. coverage




INSP 04

3/4" (19mm) x 7-1/8" (181mm)

SPECIES: W/W

1.75 LF = 1 sq. ft. coverage




INSP 05

3/4" (19mm) x 8-1/8" (181mm)

SPECIES: W/W

1.52 LF = 1 sq. ft. coverage

INSPIRE SERIES




INSP 06

3/4" (19mm) x 8-9/16" (217mm)

SPECIES: W/W

1.44 LF = 1 sq. ft. coverage




INSP 07

3/4" (19mm) x 8-1/4" (210mm)

SPECIES: W/W

1.45 LF = 1 sq. ft. coverage



INSP 08

3/4" (19mm) x 7-7/8" (200mm)

SPECIES: W/W


1.52 LF = 1 sq. ft. coverage

INSP 09

3/4" (19mm) x 8-1/4" (210mm)

SPECIES: W/W


1.48 LF = 1 sq. ft. coverage



PANELING

DETAILS


Paneling can be made from a variety of mouldings and sheet products to achieve the look you want. This simple diagram shows a typical paneling detail and elevation to help you visualize the possibilities of what can be done with standard mouldings.




1 PARTIAL FRONT ELEV. OF PILASTER
IA7.4 3" : 1'-0"

PANELING


DETAILS



2 SECTION THROUGH TYP. PANELING
IA1.4 3" : 1'-0"



SPECIALTY ITEMS



204 - CORNER BEAD

3/4" (19mm) x 3/4" (19mm)


SPECIES: W/W PINE



225 - PICTURE

1 1/16" (17mm) x 1-3/4" (44mm)


SPECIES: W/W



L1 - ARCHITRAVE

1-3/4" (44mm) x 4-3/4" (121mm)

SPECIES: W/W




332 - ARCHITRAVE

1-3/4" (44mm) x 2-3/4" (70mm)

3/4" (19mm) Rabbet

SPECIES: W/W




179 - BAR RAIL

1-3/4" (44mm) x 5-1/4" (133mm)

SPECIES: MAPLE


SPECIALTY ITEMS



CORNER BLOCK

65 - 7/8" (22mm) x 3" (76mm) x 3" (76mm)


SPECIES: W/W



CORNER BLOCK

68 - 1-5/16" (33mm) x 3" (76mm) x 3" (76mm)

SPECIES: W/W



330 - FILIGREE

(SPECIALTY ITEM)

5/8" (68mm) x 2" (51mm)

SPECIES: W/W



329 - FILIGREE

(SPECIALTY ITEM)


3/8" (10mm) x 1-1/8" (29mm)

SPECIES: W/W PINE

331 - ARCHITRAVE

1-1/4" (28mm) x 2-11/16" (68mm)

SPECIES: W/W



HALF ROUNDS

205D - 1-3/4" (44mm) x 3-1/2" (89mm)

SPECIES: W/W

205C - 1-1/2" (38mm) x 3" (76mm)

SPECIES: W/W

205B - 1-1/4" (32mm) x 2-1/2" (64mm)

SPECIES: W/W

205A - 1" (25mm) x 2" (51mm)

SPECIES: W/W MAPLE

205 - 3/4" (19mm) x 1-1/2" (38mm)


SPECIES: W/W OAK PINE

206 - 1/2" (13mm) x 1" (25mm)


SPECIES: W/W

207 - 3/8" (10mm) x 3/4" (19mm)

SPECIES: W/W OAK PINE MAPLE



SPECIALTY ITEMS




PLINTH BLOCK

337-4.5 - 1-3/8" (35mm) x 4-1/2" (114mm) x 20" (508mm)

SPECIES: W

337-375 - 1-3/8" (35mm) x 3-3/4" (95mm) x 20" (508mm)


SPECIES: W



904 - HANDRAIL

1-5/8" (41mm) x 2-3/4" (70mm)

SPECIES: W/W



930 - FILLER STRIP

1/4" (6mm) x 1-5/16" (33mm)

SPECIES: W/W

DOORS

Not all doors are created equal or meet Brenlo's quality standards. We offer an exclusive line of the finest premium wood doors not available from other suppliers.

STOCK DOORS: Our stock program is leading the way in offering quality, premium craftsmanship on demand to our clients.

Our offerings include the following;

- Silver Series Raised 2 & 3 panel doors
- Shaker 1 & 2 panel doors
- Slab doors

All of these doors come 1 3/4" thick and are offered in 80", 84", 90" & 96" Heights. The available widths are 16"-36" widths (2 increments).

We also carry a budget friendly door style; Raised 2 Panel Moulded 80"H doors. These doors are carried in Hollow Core & Solid Core available.

Note: 80" height available only and are 1 3/8" thick

CUSTOM DOORS: Brenlo has a proven track record in providing custom and special order doors. We can produce doors in any size, species, style and finish you desire.

COMMERCIAL CUSTOM DOORS: We are a key supplier to many of the leading retail fixture and commercial millwork shops in Ontario for custom materials and doors. Doors for institutional, hotels, custom offices and the like require fire rated, fully engineered designs of the highest quality. We continue to meet these demanding standards and unique custom needs.

If you are looking for high performance truly unique custom doors, our door experts can have them designed and manufactured to suit, typically in 4 weeks.

PREMIUM QUALITY - "BEST" DOORS

These doors are manufactured to be everlasting, durable, sound resistant and aesthetically beautiful. They hold a finish extremely

SILVER SERIES

EXCLUSIVELY AT BRENLO

- SOLID WOOD, TRUE STILE & RAIL
- 2-PANEL AND 3-PANEL
- SEALED 6 SIDES AND BEVELED
- BRENLO "MATCHED" PROFILE

Available in:

- Stock: 1 3/4" - 80", 84", 90", 96"
- Widths from 16" - 36"

Engineered stiles and rails prevent warping



SILVER SERIES DOORS

STOCK 2-PANEL

Standard
Dimensions



Available In:

Thickness: 1-3/4"

Widths: 16" – 36"

(2" Increments)

Heights: 80", 84", 90", 96"



CROSS-SECTION

SILVER SERIES DOORS

STOCK 3-PANEL

Standard
Dimensions






Available In:

Thickness: 1-3/4"

Widths: 16" – 36"


(2" Increments)

Heights: 80", 84", 90", 96"



CROSS-SECTION

STOCK TD001 PANEL SHAKER DOORS



STOCK 1-PANEL TD001

Standard Dimensions


Available In:

Thickness: 1-3/4"

Widths: 16" – 36"


(2" Increments)

Heights: 80", 84", 90", 96"



CROSS-SECTION

STOCK TD002 PANEL SHAKER DOORS



STOCK 2-PANEL TD002

Standard Dimensions


Available In:

Thickness: 1-3/4"

Widths: 16" – 36"


(2" Increments)

Heights: 80", 84", 90", 96"



CROSS-SECTION

STOCK - MD001 SLAB DOORS



STOCK SLAB MD001

Standard Dimensions


Available In:

Thickness: 1-3/4"



Widths: 16" – 36"

(2" Increments)

Heights: 80", 84", 90", 96"




CROSS-SECTION




CROSS-SECTION

CLASSIC ADD RAISED PANEL




CD002




CD003

CLASSIC NON STOCK DOORS




CD001




CD004


CLASSIC NON STOCK DOORS




CD008



CD007




CD006




CD005


CLASSIC NON STOCK DOORS




CD012



CD011




CD010




CD009


CLASSIC NON STOCK DOORS




CD016



CD015




CD014




CD013


TRANSITIONAL NON STOCK DOORS




TD004



TD003




TD002




TD001


TRANSITIONAL NON STOCK DOORS




TD008



TD007




TD006




TD005


TRANSITIONAL NON STOCK DOORS




TD012



TD011




TD010




TD009


TRANSITIONAL NON STOCK DOORS




TD016



TD015




TD014




TD013


MODERN NON STOCK DOORS



MD004



MD003




MD002




MD001


MODERN NON STOCK DOORS




MD007-L



MD006-R




MD006-L




MD005


MODERN NON STOCK DOORS




MD009



MD008-R




MD008-L




MD007-R


MODERN NON STOCK DOORS




MD013



MD012




MD011




MD010


MODERN NON STOCK DOORS




MD017



MD016




MD015







MD014

MODERN NON STOCK DOORS




MD018


FRENCH NON STOCK DOORS




FRENCH NON STOCK DOORS




FD009




FD008



FD007



FD006



FD005

DOOR HARDWARE

MISCELLANEOUS IN-STOCK HARDWARE

HINGES



All hinges come standard with Butt Tips

Premiere Butt Tip Hinges - Bright Brass, Satin Nickel,
Plain Bearing, Oil Rubbed Bronze, Antique Nickel

3" X 3" (2.4mm thickness) - Plain Bearing

3 1/2" X 3 1/2" (3.1mm thickness) - Ball Bearing

4" X 4" (3.4mm thickness) - Ball Bearing

SPECIAL ORDER

Reach out to your Brenlo Representative for special order hardware, Brenlo can provide hardware pricing from all major brands.

- KN Crowder
- Emttek
- Schlage
- Weiser
- Taymor
- Aurum
- Baldwin & more

PLYWOOD

EXPLANATION OF VENEER AND CORE GRADES

GRADING VENEERS

The term “grade” describes the natural characteristics allowed in each veneer or ply. The face ply in hardwood plywood is exposed, and therefore, the face grade defines the panel appearance and quality. Some panels have a face made of highly matched veneers with uniform colour and grade. Other panels may include more character marks and colour variation to comply with the desired appearance.

FACE GRADES

AA Best quality face is used where minimal defects are required for doors, architectural paneling, and fine furniture.

A AA is not required, but appearance is important for cabinets, case goods and general millwork.

B Natural characteristics and appearance are desirable.

C, D, E Solid face with unlimited colour variation. C, D, and E respectively allow repairs in increasing sizes.

TERMINOLOGY:

PC Particle Core

VC Veneer Core


PLYWOOD

STOCK SPECIES & GRADES

RED OAK - FLAT CUT

Stain Grade

- 1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G2S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G2S – V.C. – A-Face




MAPLE - ROTARY CUT

Stain Grade / Paint Grade

- 1/4" X 4 FT X 8 FT – G1S – V.C. – A-Face
- 1/2" X 4 FT X 8 FT – G2S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G2S – V.C. – A-Face
- 3/4" X 4 FT X 8 FT – G2S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G2S – V.C. – A-Face

Plain Sliced or Flat Sliced



MAPLE - FLAT CUT

Stain Grade

- 1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

WALNUT - FLAT CUT

Stain Grade

- 1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

BIRCH - ROTARY CUT

Paint Grade (Putty Patch)

- 1/2" X 4 FT X 8 FT – G1S – V.C.
- 3/4" X 4 FT X 8 FT – G1S – V.C.

KHAYA MAHOGANY - FLAT CUT

Stain Grade

- 1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

WHITE OAK - RIFT CUT

Stain Grade - Slipmatch

- 1/4" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 1/2" X 4 FT X 8 FT – G1S – P.C. – A-Face
- 3/4" X 4 FT X 8 FT – G1S – P.C. – A-Face

LEGEND

P.C. - Particle Core	V.C. - Veneer Core
G1S - Good One Side	G2S - Good Two Sides

Brenlo can source and supply most plywoods required for your project

SHEET GOODS

IN-STOCK AT BRENLO

VENEER EDGE TAPE

Birch, Cherry, Mahogany, Red Oak, White Melamine, White Oak, Black Walnut

FLEX PLY

3/8" X 4' X 8' Short Grain Flex Ply
(Wiggleboard)

PREMIUM BOARD MDF RANGER BRAND

1/4" X 4' X 8'
3/8" X 4' X 8'
1/2" X 4' X 8' *
5/8" X 4' X 8'
3/4" X 4' X 8' *
1" X 4' X 8'

OVERSIZED M.D.F BOARD

3/4" X 4' X 9'
1/4" X 5' X 10'
1/2" X 5' X 10'
3/4" X 5' X 10'
3/4" X 5' X 12'

MASONITE BACKER

1/8" X 4' X 8'

SAUNA MATERIALS

Sauna Doors priced upon request.

SELECT CEDAR (WESTERN RED CEDAR)

Aromatic 12 sq. ft. per bundle

1 X 4 T & G (select)

1 X 4

1 X 6

2 X 4

2 X 6

2 X 8

Cedar Sauna Handles

Shim Shingles

Aluminum Sauna Foil

FROGBOARDTM - NEW!

REVOLUTIONARY WOOD ALTERNATIVE USING ACRE TECHNOLOGY



LIMITED LIFETIME WARRANTY

FROGBOARD is weather-resistant and comes with a limited lifetime warranty.

WATER-RESISTANT


FROGBOARD is resistant to UV, weather, rot, and pests. It is 100% water-resistant, thus, traditional wood maintenance and replacements are not needed.

CAN BE PAINTED OR STAINED

Unlike other wood alternatives available, FROGBOARD can be painted or stained. We recommend using water-based paint, stain, or sealer on FROGBOARD products. Please refer to www.brenlo.com/frogboard for coating recommendations.

INDISTINGUISHABLE FROM NATURAL WOOD

FROGBOARD looks like natural wood and comes in both smooth or grained texture.



THERMOFORMABLE

FROGBOARD can be bonded by heat and compression (heat-sealing).

With heat, the sheets can be bent, molded, or curved. It is a perfect fit for curved designed accents, furniture, and other applications.

MACHINABLE

FROGBOARD is workable with standard woodworking tools and doesn't require additional substitutes. It is easy on screwing, nailing, cutting, drilling, sanding, and milling.


SUSTAINABLE

FROGBOARD is a green alternative that relies on dried rice hulls and is yet another initiative from Brenlo to take sustainability as a priority. It is free of phenol, formaldehyde, and adhesives. It is 100% recyclable.

DECKING & SIDING PROFILES AVAILABLE

FROGBOARD SKUs IN-STOCK


PFROGBD - 41034	Frogboard 3/4" x 4' x 10' Smooth/Wood Grain
PFROGBD - 41212	Frogboard 1/2" x 4' x 12' Smooth/Wood Grain
PFROGBD - 41234	Frogboard 3/4" x 4' x 12' Smooth/Wood Grain
PFROGBD - 4812	Frogboard 1/2" x 4' x 8' Smooth/Wood Grain
PFROGBD - 4814	Frogboard 1/4" x 4' x 8' Smooth/Wood Grain
PFROGBD - 4834	Frogboard 3/4" x 4' x 8' Smooth/Wood Grain
PFROGTR - 1X10X16	Frogboard 3/4" x 9 1/4" x 16' Smooth/Wood Grain
PFROGTR - 1X12X16	Frogboard 3/4" x 11 1/4" x 16' Smooth/Wood Grain
PFROGTR - 1X6X16	Frogboard 3/4" x 5 1/2" x 16' Smooth/Wood Grain
PFROGTR - 1X8X16	Frogboard 3/4" x 7 1/4" x 16' Smooth/Wood Grain



Scan to know more



EXTERIOR TRIM BOARD



SHEETS:

1/4" (6mm) x 4' x 8'

3/4" (19mm) x 4' x 8'

1/2" (13mm) x 4' x 8'

3/4" (19mm) x 4' x 10'

1/2" (13mm) x 4' x 12'

3/4" (19mm) x 4' x 12'



**TAKE IT
OUTSIDE!**

TREATED EXTERIOR PANEL

Limited EXP & Contraction

Moisture Resistant exterior panel for paint-grade applications

Resists rot and termites; treated with zinc borate

No added formaldehyde

Phenolic-bonded for moisture resistance and durability

5-year limited warranty

Patented, proprietary TECTM manufacturing technology

Size (nominal)	Thickness (=/- 0.005")				
	1/2"	5/8"	3/4"	1	1-1/4"
4' x 8' (49" x 97")	•	A	•	A	A
4' x 16' (49" x 194")	A	A	A	A	A
2' x 16' (25" x 194")	A	A	•	A	A


Fascia, Columns, Soffits, Window Treatments

• Stocked Inventory **A** Available as special order

BRENLO CUSTOM SHOP




Brenlo will custom make solid wood laminated panels. Panels can be made in a variety of widths and lengths. Laminated panels are often used for bar tops, stair treads & other high use applications. These products can be made in virtually any species. Please contact our order desk or fax details and specifications of your requirements to us @ (416) 749-8969.



Our C.N.C.Router machining quarter cut white oak furniture components



Curved oak crowns, chair rails and base boards for wrapping of large oak columns



Architect designed large exterior pine porch brackets for a custom home builder



Another unique design of 3'x 4' porch brackets

CUSTOM SHOP

Over the years Brenlo has become much more than just a wood moulding manufacturer. We focus on creating a unique product for our customers and in turn their clients. Our Custom Shop takes great pride in these products and solutions while in keeping with the vision of the project. We have once again expanded our manufacturing capabilities with the latest technology. We remain true to great craftsmanship and attention to detail. We now offer more Joinery and Bench-work type products. Some of the new products available are our specialty doors, over-sized porch brackets, courtroom and church pew components, solid wood laminated table/counter tops, C.N.C parts and components for the Store Fixture Industry.

Please call us for your next unique and challenging project; we can help you with it. See page 92 for examples of the craftsmanship our Custom Shop produces. If it's made of wood we can do it!

ARCHES & CURVES

Brenlo specializes in curved casings, backbands, crowns, baseboards, bar rails, chair rails and panel moulds.

Curves can be made from a template or from accurate measurements. Arches made from measurements for window casings tend to be the most accurate as they give a true consistent radius.

VERTICAL CURVES

Typical arch types are as follows:



Symmetrical Arch



Elliptical Arch



Full Circle Arch



Half Circle Arch

Please note all horizontal curves must be clearly specified as concave or convex applications.

HORIZONTAL CURVES



Concave Curve
Profile is on the
inside of the curve



Convex Curve
Profile is on the
outside of the curve

Top View



Chord (span)

HOW TO MEASURE CURVES

To make an arch window casing you need to have only two critical measurements. These measurements are as follows:

- 1) The accurate chord (inside width) of the casing line
- 2) The accurate rise (height) from your horizontal line (chord) to the inside of your casing line For a cost effective alternative, we also offer some profiles custom run in EZ Bend.

WOOD SPECIES



Whitewood
(Poplar)



Red Oak




Eastern White Pine



Hard White Maple



American
Black Cherry



Genuine Mahogany



Black Walnut



Knotty Pine

Other Species

Quarter Cut Red Oak

Rift Cut Red Oak

White Oak

Quarter Cut White Oak

Rift Cut White Oak

African Mahogany

Jatoba (Brazilian Cherry)

North American Beech

European Steamed Beech

Burmese Teak

Soft Maple

Red Pine

Red Birch

Alder

IPE

Vertical Grain Fir



ENVIRONMENTAL COMMITMENT

Brenlo is well known for our commitment to sustainability and industry best practices when it comes to environmental compliance. We are FSC® Certified and have expert staff supporting our active involvement in the Canada Green Building Council, LEED building and AWMAC commercial standards

Respect for our natural resources and respect for the environment are two of the most important priorities at Brenlo Ltd. Our wood suppliers comply with all government regulations. Conservation of natural resources is also considered essential: hence, Brenlo's suppliers of wood products emphasize yield management by equipping their facilities with the latest technology available. Our suppliers are constantly seeking better ways to protect and sustain our natural resources that provide the raw material which we then mill and supply to you, our valued customer.

Brenlo's suppliers actively enforce all federal and regional Sustainable Forestry Initiatives, and support the standards set by the National Hardwood Lumber Association. These suppliers participate in, or meet the most rigid independent environmental certification programs including FSC certified products.

At Brenlo, we feel that it is our personal and professional responsibility to help sustain the forests, wildlife habitat and ecosystems that we depend on. It is our belief that a healthy environment and a sound and sustainable use of nature's treasures means a healthy future for all concerned.



The mark of
responsible forestry

Brenlo is a proud supporter of



SERVICES WE OFFER

CONSISTENT QUALITY

You can trust that we will do what we say and meet or exceed your expectations when it comes to reliability and consistency.

FLEXIBLE DELIVERY MANAGEMENT

Brenlo offers options to pre-package and then deliver on site by floor, by product type (i.e. jambs only, casing & jambs, doors separately, baseboards last) or any method that meets your requirements.

CUSTOM MOULDING

If you don't see the design you are looking for, we will make it to order for you whether in small quantities, large volumes, special species, custom sizes.

HARDWOOD SPECIES

We stock an extensive assortment of North American quality hardwood and softwood, as well as exotic hardwood species in various grades and thicknesses.

DOOR MACHINING

Brenlo has specialized machinery so we can pre-machine any doors ordered from Brenlo for hinges and door hardware. Your installers will save time and have consistent fit and installation of every door. Please inquire about our low cost flat rate service per door.

ORDERING INFORMATION

DELIVERY CHARGE

Brenlo will apply a flat rate charge for each on-site load delivery within the GTA. Charges may apply for deliveries outside of Brenlo delivery boundaries. Please call the order desk to inquire

DELIVERY ACCESS

The customer is responsible for ensuring that there is adequate space available at the jobsite to receive the delivered products and that access to the area where the products are to be delivered is safe and free of obstacles. In the event that the Brenlo driver determines that access to the jobsite is unsafe, Brenlo reserves the right to defer delivery of the products ordered. Deliveries are only to be made to the 1st floor.

PAYMENT AND CREDIT

For all non-trade account orders, a non-refundable deposit is required to process the order. For prepaid and COD orders, Brenlo accepts company cheques, Visa, and Master card. To set up a trade account, a credit application must be submitted to our credit department for approval. All orders for in stock and custom items shall be C.O.D. until credit is approved.

NOTE: ALL PRODUCTS SOLD BY BRENLO LTD CUSTOM WOOD MOULDINGS WILL REMAIN THE PROPERTY OF BRENLO LTD. CUSTOM WOOD MOULDINGS UNTIL PAID IN FULL.

WARRANTY AND RETURNS

Unusable, defective**, or damaged material to be returned, replaced or credited must be identified and reported to Brenlo Ltd Custom Wood Mouldings within 72 hours of delivery. Brenlo is not responsible for any damage caused after delivery on the job site caused by handling, improper storage, and installation or finishing by the customer.

With prior approval from Brenlo and a product return authorization, Brenlo accepts and will credit any excess returned standard stock product or material that is undamaged and in full resalable condition. Returns of any non-door-related material less than 6' in length will not be eligible for credit. We charge a restocking fee to cover the pick-up and handling that is required.

LENGTH OF MOULDINGS

Unless otherwise agreed, Brenlo provides most moulding products in random lengths ranging from three to sixteen feet.

Any order for exact specified lengths will require additional processing time based on lumber availability, the need for custom milling and sorting and is subject to additional charges.

ACCURACY OF INFORMATION

Brenlo has made every effort to ensure the accuracy and completeness of the information contained in this catalogue, however, we are not responsible for any resulting costs or issues that may arise based on the specifications or any error or omission of detail in the catalogue. Product specifications are subject to change without notice.

****Natural characteristics of wood including colour and grain are not considered defects. Stock profile samples are available upon request.**

